610.02 US7c
REFERENCE
Room

This issue contains JULY INDEX

CURRENT LIST of MEDICAL LITERATURE

Vol. 13 July 25, 1947 No. 3-A

FOUNDED 1836

THE ARMY MEDICAL LIBRARY
Washington, D. C.

ARMY MEDICAL LIBRARY
PHOTODUPLICATION SERVICE

Effective 1 February 1947 free photoduplication service must be discontinued and services will be rendered at the prices listed below. This is necessary to meet the cost of the service.

The following conditions will be observed:

1. All orders must be accompanied by payment in cash or by check or money order payable to the Treasurer of the United States. Only governmental agencies are exempted from this requirement. Stamps must not be used in payment.

2. Orders must be submitted on a signed official order blank, a supply of which will be furnished on request.

3. Copies of articles from U. S. journals of general distribution published in the current year will not be supplied without special permission on the assumption that these will be available from the publisher.

4. Copies of entire books will not be supplied without written permission of the U. S. copyright holder.

5. Official requests from the War Department will be filled free of charge. These requests should be routed through the post or hospital librarian or Commanding Officer.

6. Services to other governmental agencies will be billed periodically by Standard Form 1080 (Voucher).

PRICE SCALE

Microfilm:

Periodical Articles-- a flat charge of 50 cents for any article in a single volume of a periodical.

Books and Serial Publications-- 50 cents for each 50 pages or fraction thereof.

Photoprints: (Photostats)

50 cents for each 10 pages or fraction thereof from any single volume.

N. B. Because of the difficulties currently involved in securing foreign exchange in many parts of the world, special arrangements will be made for supplying microfilm to persons and institutions outside the United States and Canada. Such persons are invited to write directly to the Library regarding the conditions under which they can make use of the microfilm services of the Army Medical Library.

The CURRENT LIST OF MEDICAL LITERATURE is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C., $3.00 per year ($3.75 foreign) 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the ARMY MEDICAL LIBRARY 7th Street & Independence Av., S. W., Washington 25, D. C., as an intraservice publication of the War Department. Lists all articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

SUBJECT INDEX

Vol. 13 Nos. 1-3 (pp. 1-264)

July 1947

(Based on the schedule of subject-headings
(used by the American Medical Association's
(Quarterly Cumulative Index Medicus)

ABATTOIRS, 170h,262m
ABBOCILINE, 210s
ABDOMEN, acute conditions, 47f,221d; blood supply, 42c; cancer, 46u; diagn., 233w; dis., 225e; drainage, 41s,79s,t; echinococcosis, 247q; foreign bodies, 201b; gangrene, 251p; pain, 53r; pressure, 69e,78i,180p; surgery, 82k, 135s,209o,212f,--in animals,258v; in children, 214o; tuberculosis, 137d,256p; tumors, 48j, 50g; wounds & injuries, 248u
ABNORMALITIES & DEFORMITIES, 1j,88p; heredity, 192c
ABORTION, cpl.& seq., 106v; criminal, 162h; etiol. & pathogen., 28s; infectious, 37m,73v,88b,m, 258k,259r; therapy, 39g; threatened, 15w; twin, 130-1
ABSCESS, attic, 38h; retrobulbar, 153i; subphrenic, 43p
ACCIDENTS, 173c,224j
ACETANILID, metabolism, 160b
ACETARSONE, 102i
ACETATES, fluoro-, 160c
ACETONE, 10j, 95q
ACETOPHENONES, 9m
ACETYLAMINOFLUORENE, 111o, 140n, 144v
ACHONDROPLASIA, 81q
ACIDS, 100h,112i; adenylpyrophosphoric, 70m, 163n,196n; alkoximino, 98r; aminobenzoic, 54k,220u; aminocaproic, 146q; aminohippuric, 96s; aryloxyacetic, 98m; aspergillic, 97t; benzoic, 18n; carbamic, 91g; chloric, 65t; chloroaminobenzoic, 2o; chlorosulfuric, 239r; chromic, 160h; crotonic, 94a; cysteic, 17k; dicarboxylic, 6o; doisynolic, 93p,r; formic, 9o; galacturonic, 143g; glutamic, 61h; hydrochloric, 18p; imidazolidinecaproic, 96-1; indole acetic, 8q; lactic, 20o,92r,162n, 222v; molybdic, 17r,57q; molybdivanadic, 96j; myelokentric, 140m; oleic, 97i; organic, 182f; pectic, 10k; pectinic, 10k; penicillic, 167p; phenylacetic, 9j; phenylcinchonic, 241j; phenylpropionic, 9j; phosphomalic, 97a; phosphorous, 90j; phthalic, 88f; propionic, 12k; pteroylglutamic, 7r,8g,45q, 92u,205m; pyruvic, 92b,c,93d,96c,122k; stearic, 104o; succinic, 8i; thioglycollic, 143g; tuberculostearic, 96c; tungstic, 57q; vaccenic, 97h
ACONITE, 97d
ACRASIEAE, 3q
ACRIDINE, 9o; therapy, 201t
ACRIDINIUM, 95t
ACRODERMATITIS, 49h
ACROLEIN, 96a
ACROPARAESTHESIA, 167k
ACTINOMYCES, 3r,t,u,8n,o
ACTINOMYCOSIS, 63v; abdominal, 80a; cervicofacial, 26f; in animals, 263k; oral, 100j; pulmonary, 42c,225m; thoracic, 25o
ACTINORUBIN, 8n
ACTOMYOSIN, 70m
ADDISON'S DISEASE, 141q; cpl.& seq., 104u; pathol., 105g
ADENINES, 97s
ADENOIDS, 198i
ADENOSINE, 97s
ADERMIN, 13p
ADHESIONS, abdominal, 174d
ADIPOSIS DOLOROSA, 129r
ADOLESCENCE, psychol., 165v
ADRENAL PREPARATIONS, 93t; chem., 17r; eff., 45r,163c,182b; therapy, 112b,115-1, 134v
ADRENALS, cortex, 144r,183k; cysts, 65f; dis., 16k,53s,222q; hemorrhage, 199u,209c, 220j; insufficiency, 6k, 105k; physiol., 7t,23r,45-1,58s,65q,70e,f,71g,85f,96g,97f, 105c,m,122h,123a,163c,177s,179k,180m, 205j; secretion, 143n; tumors, 153b,158s, 181p,184d,223s
ADRENOCHROME, 168d
ADSORPTION, vital, 66i
ADVERTIZING, 119c,164g
AEROSOLS, 113a,177-1
AGE, determ., 190a; physiol., 69p
AGGLUTINATION, bacterial, 2k, 18j; group specificity, 18k, 19f; hem-, 17e,45w,107v, 145p,171e,200v
AGLYCONE, 160h
AGRICULTURE, 145m,w
AIR, bacteriol., 119r,t,145t,215m,253c; impurities, 23h; pressure, 128k,156n,179g,180g,p,182d, 183g,250r
AIRCRAFT, ejection seats, 146h; oxygen supply, 181-1
AIR HUNGER, 44r
AIR RAIDS, 228-1
ALANINE, 7m, 97g; metabolism, 7f

ALBINISM, 126d
ALBUMIN, 179h
ALBUMINURIA, 181g
ALCOHOL, eff., 5w; metabolism, 218b; therapy, 177e; tolerance, 149q
ALCOHOLISM, 29o,149m,q,195k,196u,282b; cpl. & seq., 118t,134i,208q; in France, 73k; in Switzerland, 73o; in U. S., 73i; therapy, 36b,73n,p,195b,k,l,m,n
ALGAE, 57v
ALKALIS, 66j
ALKALOIDS, 66j, 144b
ALKYLS, 143f
ALLOXAN, 52t; eff., 8r,47c,216q,219n; therapy, 197w
ALOPECIA, inflammatory marginalis, 103a
ALSTONINE, eff., 160a
ALTITUDE, high, 6b,46p,114q,170q
ALUM, 230b
ALUMINUM, 95p, 143w; hydroxide, 261j,o; oxide, 10o
AMBLYOMMA, 90p
AMEBAE,179b; kerrii, 89m
AMEBIASIS, 25b,141q; carriers, 20w; diagn., 139b; hepatic, 110c; therapy, 204o
AMERICAN MEDICIAL ASSOCIATION, 24o
AMETROPIA, 234r
AMIDINES, 9c
AMIDINO FURANS, 97w
AMIDINOSTILBENE, 21m; determ., 8f
AMIDONE, 57r,217u
AMINES, 9i,o,95c,97n; chem., 95r; sympathomimetic, 60k,65o,66b
AMINO ACIDS, 7k, 34o,55w,92b,e,f,t,w,93e,98q, 116d,236j; bacteria, 3v,4a,c; chem., 6p,10d; defic., 91t; in diet, 6s; metabolism, 6o,7b,c,f,m,v, 8p,92b,c,n,93d,96b,122r; prep., 6t; therapy, 127-1
AMINOMETHYLANILINE, 147j
AMINOPYRIDINES, 95e,f,m
AMMONIA, 11g; chloride, 20r; metab., 7v; sulfate, 17p; tetraethyl-, 140t,146r,173j
AMNESIA, 37g
AMPHETAMINE, 30e,66h; eff., 179e
AMPUTATION, 82g,v,83o,114k,124j,132h,133c,k, 151n,250j,251m,253r; cpl. & seq., 173s
AMPUTATION STUMP, 49b,249c,251-1
AMUSIA, 150n
AMYLOID, 64p
AMYLOIDOSIS, 175c,196k
AMYLOLYSIS, 239p
ANALEPTICS, 163g
ANAPHYLAXIS & ALLERGY, 22m,36n; blood, 205v; death, 25r; diagn., 158k,177f,l; etiol. & pathogen., 50v,61i,85f,108v,131g,177j,k, 190v,214p,215j,o; experimental, 119g; heredity, 171c; immunity, 220s; in animals, 177i; in infants & children, 139-l; manifest., 109f; metabolism, 123u; serum & vaccine, 127p,133n,217o; therapy, 37v,130r,132v, 156u,160d, 209f
ANATOMY, 193h,210f; comparative, 88b; history, 88b; methods, 177q
ANDROGENS, 66p,105m; chem., 93p,r; deficiency, 105k; determ., 7i; eff., 66n,71g,105-l; in urine, 58s; metabolism, 7j,96g,105c; therapy, 26f, 30b,42v,134o,202v,209m
ANDROSTEN, 93n
ANEMIA, erythroblastic, 113q,129s,215s; etiol.& pathogen., 26e,30b,138m,141g,197u, 205w,219a; experimental, 146s; hemolytic, 44e,122g; leuko-erythroblastic, 64u; macrocytic, 139w; pregnancy, 106m,254f; sickle cell, 196-1,197p,206t,237q; therapy, 13t,45q, 49t,158r,196i,205m,n,210q,238w
ANEMIA, PERNICIOUS, 134j,196v; etiol. & pathogen., 205o; in children, 158r; metabolism, 15e, 102w; stomach, 5n; therapy, 196i,205m
ANESTHESIA, 49-1, 57r,130v, 257p.; apparatus, 99s; barbital, 156-1,174i,180a,225n,248b, 257v; brachial, 248-l; choice, 35w; cpl., 2g,40d,63q,r,139e; conduction, 2c,41b, 174a,198s,257r; curare, 2b,138a,248a,257u; eff., 119f, 150a,224c; ether, 160e,247w,248k; general, 1v, 37i,175q; history, 101e,116c, 117n,142t,224v,225j,227f,247v; in dentistry, 11v, 99s,100s,101n,187j; in gynecol. & obstetrics, 179e; in proctol., 200n; in urol., 257q,r,s,t,v,w; intrasternal, 174i; intratracheal, 63q,r,248a; local, 68n; morphine, 179e; nitrous oxide, 174k; oil soluble, 123u; physiol., 109p; procaine, 1v; psychol.asp., 174-l; spinal, 2c, 120r, 130j, 208-l,228m, 247w,248a,c,257r,w; synergisms, 159r; supportive meas., 207r
ANETHAINE, 248a
ANEURYSM, aortic, 128h,129g,141b,197r, 207h; arteriovenous, 78e,249h; brachiocephalic, 27m; cardiac, 221b; carotid, 114r; cerebral, 121w; coronary, 226t; dissecting, 141b,184p; iliac, 249h; pulmonary, 78e,117j; splenic, 64m; traumatic, 246a, 249u; urinary, 86o
ANGELICA, 213a
ANGINA PECTORIS, 168n; cpl. & seq., 184t; diagn., 21w; etiol.& pathogen., 208a
ANGIOTONASE, 196j
ANGIONTONIN, 182a
ANILINES, 147j; metabolism, 160b
ANIMALS, breeding, 88n, 145g,259h; dis., 223i, 260b; transportation, 261s
ANITSCHKOW CELL, 1h
ANKLE, surgery, 81n; wounds & injuries, 127h, 172p
ANOXEMIA TEST, 21o
ANTHRACENE, 143t
ANTHRAX, 140q; diagn., 50v; epidemiol.& statist., 37m; immunity, 17f; oral, 174p; pulmonary, 158c
ANTHROPOLOGY, 99w,149h
ANTHROPOMETRY, 183n
ANTIBIOTICS, 2s, 3-l,p, 8n, o, 51n, 55k, 57w, 58o, 96d,145o,205f,210g,239u; in otorhinolaryngol., 63w, 138j, 63e; production, 230a
ANTIGENS & ANTIBODIES, 18j, 64o, 72j, 108t; cardiolipin, 87k
ANTIMONY, chloride, 96p; toxicity, 204u
ANTISEPTICS, local, 198g
ANUS, surgery, 82t
ANXIETY, 34t, 39q, 243c, 252u
AORTA, abnorm., 31o; dis., 222s; insufficiency, 109g; intubation, 79u; occlusion, 172k; rupture, 129u,207h; stricture, 37d, 31o,133t,172g; surgery, 118o,172i
APATITE, 58w
APE-MAN, 56s, 57o
APES, 181v,255n
APHASIA, 148-l
APHIDS, 90j,k
APOMORPHINE, 65o
APPARATUS, 81t,147q,250j,k; lyophilizing,46s
APPENDECTOMY, 78u
APPENDICITIS, 250u,251c; cpl.& seq., 24m; diagn., 82h; epidemiol.& statist., 138s; in infants & children, 247k; left-sided, 213n; pregnancy, 16b; pseudo-, 5k
APPENDIX, locating, 39c
APRAXIA, 28b
AQUEOUS HUMOR, 153r; blood barrier, 153o; chemistry, 155p

ARABINOSE, 95d
ARECOLIN, 262c
ARENTSEN METHOD, 223w
ARFE y VILLAFANE, 210f
ARGAS, 146c,261-1
ARGINASE, 96g
ARITHMETIC, 242-1
ARMADILLIDIUM, 57v
ARMED FORCES PERSONNEL, 230s; adjustment, 60e; enlisted personnel,164k; Negroes, 149u; officer selection, 59u, 164-1
ARMS, 182t; deformity, 81d; development, 183n; pain, 167k
ARRHYTHMIA, 6d, 27t,181s,208e; auricular flutter, 122s; etiol.& pathogen., 217k; experimental, 6c
ARSENIC, 200q; determ., 104m; eff., 111r; prep., 87b; therapy, 45i, 201g; toxicity, 29b, 51r,150r,227k
ART & ARTISTS, 241s
ARTERIES, bronchial, 39e; carotid, 63m, 114r,157o; colic, 173r; iliac, 172i; infl., 42v; ligation, 248r; mammary, 112r; occlusion, 182i; pulmonary, 21e; stapedial, 157o
ARTERIOSCLEROSIS, 40b; cerebral, 231c; cpl., 206s; coronary, 38b, 127u, 128g; etiol.& pathogen., 182-1; experimental, 158b; retinal, 135m
ARTHRITIS, 202k; etiol.& pathogen., 77-1, 134f,222p, in infants & children, 68b; mutilans, 78f; therapy, 4s,118w,128w, 140a,211k,222v
ARTHRITIS, RHEUMATOID, 253-1; etiol. & pathogen., 105m; pathol., 108u; therapy, 23j,64v,184a
ARTHROPODS, erad., 255j
ASCARIASIS, cpl., 133f
ASCARIS, 56m
ASCITES, 46u, 54m
ASCORBIC ACID, 35b, 38a, 92s, 103t,v, 254g; determ., 13r,124h; eff., 65q; metab., 30f, --in inf.& children, 36i; prep., 160-1,240n; therapy, 210q
ASPARAGINE, 92c, f, 93d, e; eff., 17k
ASPERGILLIN, 58o
ASPERGILLUS, fumigatus, 58o
ASPHYXIA, etiol.& pathogen., 129g; in infants & children, 166o; therapy, 112j
ASTERIAS, 89f
ASTHMA, 197q; etiol.& pathogen., 21n,177j; heart, 139-1; in children, 31n, 35m, 127w; therapy, 51c, e, 61-1, 128v, 177e, f, 221a
ASTIGMATISM, 62g
ASTRAGALECTOMY, 81n
ATAXIA, 223v; hereditary, 32v
ATHETOSIS, 28b; therapy, 253u
ATHLETICS, 24i, 169v
ATOMIC BOMB, 38w, 43m, 108j,k, 120b, 122c, 179g, 204i, 228q
ATOMIC ENERGY, 47k, 57b, 91c, 122c,185d, 238t, 246t
ATOMIZATION, 144i
ATP, 146m
ATROPHY, muscular, 149o, 182u
ATROPINE, 66i
AUTOBIOGRAPHY, 59e
AUTOCLAVES, 185m
AUTOKINETIC PHENOMENON, 231k
AUTOMOBILES, diabetic drivers, 168h
AUTOPSIES, 121o
AVIATION, accidents, 57d; hygiene, 46p, 52o, 73b; medicine, 228n; physiol.& pathol.eff., 78i,114q,128k,170q,180g,v,181o,l,182d,183g, 196m,234u; psychol., 59q; public health asp., 171p
AXILLA, tumors, 29a
AZANONANE, 98a
AZO COMPOUNDS, 93k, 111p
AZOBENZENES, 93j
AZONIUM, 97p
AZULENE, 94-1
BABESIASIS, 264h
BABINSKI-FROEHLICH SYNDROME, 131f
BACITRACIN, 216n; eff., 46i
BACK, bent, 61j
BACKACHE, 29w,38m,61k, 46n,124a,132t,133c, 183u,v,193s,202m,212s,232k; etiol.& pathogen., 22a,43f,52j,81j,l; therapy, 80v
BACTEREMIA, 64-1, 190i; pasteurella, 21r
BACTERIA, aerogenes capsulatus, 171i,s,119p, 197g; anaerobic, 1[illegible],197d; Buday, 187n; classification, 133r; clostridia, 4d,92r,264a; coli, 2o,3f,41r,43m,52m,53a,88e,96q,145s, 146f,201t,237b,c,239g,i; counting, 146f; cult., 3j,64-1,99i,146g; cult. med., 18d,e, 116q,226g; histaminolytic, 253c; lactic acid group,3j,8p,97i; metabolism, 3v,4a,c,8j,l, 58h,95b; micrococci, 22t; morphol., 18c; mucosus capsulatus group, 156o; mycobacteria, 17n,58h; mycoides, 2m,n; myxobacteria, 3p,s; nuclei, 2n; nutrition,93a; pasteurella, 21r; plectridium,18a; preserv., 3i; proteus, 17r,237c; pyocyaneus, 129d, 221j; rhizobium, 95b; saprophytic,253c; sporogenic, 2m,3d; typhoid gr., 3e,h,117f, 201t,226g; virulence, 4e,f; vole bacillus, 112d,123t; xanthomonas, 2k,l
BACTERIOLOGY, methods, 146g
BACTERIOPHAGE, 8q,18h; coli, 119v
BADGERS, dis., 260f
BALLINGAL DISEASE, 136s
BALLOONS, endobronchial, 174w
BANDAGING, 253r; compression, 83g
BARBITAL CPDS., 121o; addiction, 239m; admin., 128v; eff., 180a, 239n; thio-,79i; toxicity, 181n,253i
BARIUM, eff., 65p
BATH, 162a; sauna, 141u
BATS, 142w, 261o
BEAN BEETLES, 90-1
BECOCYM, 13p
BEDS, 195b
BEES, dis., 90b,c,d
BEHAVIOR, 71w,164q,t,232a,241p,242t; aggressive, 73m,243v; disorders, 149i, 231n
BEJEL, therapy, 121u
BELL INVENTORY, 180c
BENZENE, 76n,85a; hexachloride, 90k,p,q
BENZALDEHYDES, 8h
BENZANTHRACENE, 91j,k,m
BENZOATES, 133b
BENZOHYDRYL ALKAMINE ETHERS, 37v, 112e,217o; eff., 216v; toxicity, 119c
BENZOQUINONE, 229t
BENZYL CHLOROETHYLAMINE HCl, 46f
BERKELEY, BISHOP, 242w
BERVEN'S METHOD, 77f
BEVERAGES, 169-1; acid, 112i
BIBLE, 195b
BIBLIOGRAPHY, 164n
BIRDSVILLE DISEASE, 258g
BILE, 181j; acids, 94f,160m; chem., 97e; pigments, 126n; regurgitation, 77q; secretion, 123n,181f
BILE DUCTS, abnorm., 112g,213d; calculi, 41d; cancer, 14s,41w; dis., 40e,41t,42v; drainage, 42b; innervation, 78s; motility,

78s; obstruction, 44c; roentg., 14k,77q; surgery,247s
BILHARZIA, 264-1
BILIARY TRACT, abnorm., 237r; dis., 14f, 46m, 55g; surgery, 41b,104t,248e,249k
BIOLOGIC PRODUCTS, 215b
BIOLOGY, 145w; institutes, 145v
BIOPSIES, 14s,39e,82p,111e,115u,118s,217i
BIRTH CONTROL, 118a
BISMUTH, therapy, 46q,220c
BLACKARM, 105v
BLACKLEG, 262v
BLACKWATER fever, 137u
BLADDER, abnorm., 158h; anat. & histol., 256w; calculi, 207b; cancer, 26q,s,t,86r, 111o,r,176p; exstrophy, 32p,137j,173m; hernia, 199c; infl., 202d,256w; irradiation, 257a; neck, 158h,257c; obstruction,128r; paralysis,26v,86n; roentg.,44h; rupture,208f; traction,124e; tumors,26r
BLASTOMYCOSIS, 222m
BLINDNESS,15p,148k; in children,244-1; 244-1; tests,130i; therapy,154o
BLOOD,135g,143c; acetanilid,160b; alanine,7m; alcohol,73j,121m; amidinostilbene,8f; amino acids,7m,46c,116d; amylase,78s; bilirubin, 78s; calcium,21d,189f; carbon dioxide,12t, 56o,96w; carotene,102-1,w; cells,33c,41n, 69h,205p,q,206b; chem.,13-1,29n,56d,70j, 123c,252k; cholinesterase,182p; circulation, 6k,36w,65o,68r,69q,82m,n,114e,114j,123k, 133f,179p,s,182i,206g,252-1; citrates,96r; coagulation,20u,25q,40q,41g,44k,o,45r,46e, 64p,80m,97j,116d,126j,140b,144s,163k,179g, 182c,199p,215t,217a,c; copper,13p; dis., 21b,t,41n,--in horses,259p,--in infants & children,31m; enzymes,125w,147h,196j; ether,2d; exam.,200v,205t; fats & lipoids, 21o,33b,96t,155s; fibrin,45r,57u,144t; formation,177p,205n,q,w,206b; galactose,49w; gases,96w; glycine,7m; groups,29g,45n, 119n,125u,230b;--Rh factor,30r,32b,39o, 73s,114t,117r,123i,127t,129-1,130k,133n, 135h,144u,191d,192k,196s,203d,213c,225a; heparin,179g; insulin,69-1; iron,13p,66j, 76-1; magnesium,20p,96j; manganese,7n; nicotinic acid,204t; nitrogen,26m,42q,104w, 109i; oxygen, 21o,40d,f,69d,70e,96w,180d,e; parasites,22p,33h; penicillin,18b; phosphatase,69t,213n,229n; phosphate,69u; phosphatides, 122k; phosphorus,7g,68r,84u; picture,230k, 254r; pigments,126n; plasma,97j; plasma cells,205v; platelets,20t; potassium,8b, 46a,69k,70j,182o; procaine,1v; proteins, 6u,r,14d,21d,25v,31r,56d,80k,84t,108a, 118e,122h,i,124q,135a,146w,163a,219c; prothrombin,20u,41g,46e,64p,97j,122j, 126j,163k; racial aspect,254r; reaction, 168d,180g; salicylates,64q; sedimentation, 134w,238f,--in animals,260b; sodium,8b, 69k,70j,182o; streptolysin,21q; sulfonamides, 158p,263d; temperature,180f; urea,124s,223s; uric acid,8m; venous,240g; volume,79m, 143o,216u
BLOOD-EXTRACTOR,147p
BLOOD-LETTING,198p
BLOOD PRESSURE, 47e; capillary,69q; in various conditions,170q,179q; low, 196c; regulation,6k,66a,b,68p,182b,220h; venous, 179s
BLOOD PRESSURE, HIGH, 38h,54w,121e,199n, 223p; cpl. & seq., 211-1,231c; diagn.,130p; etiol.& pathogen.,34d,50r,66c,86j,113c,130n, 133n,140t,180o; experimental,45g; in infants & children,158s; prognosis,130q; surg.ther., 20r,32-1,79-1,82w,83d,130o,254j; therapy, 45v,109e,130p,161h,216r
BLOOD SUGAR, 119q,158o,255d; determ.,51g; hypo-,46c,123m,124r,141q,149s,216s,221u; in various conditions,105c,180g,182h; regul., 40j
BLOOD TRANSFUSION,40q,83a,251t; aortic, 118o; auto-,248i; cpl.& seq.,79t,110s,113j, 124n,156b,207v,210p,266-1,276f; eff.,172g; group change,29g; history,213g; in infants & children,29g,67e,129m,238o; indications, 44r; plasma, 19f; preserved blood,198p, 202p,248f; substitutes,23r
BLOOD VESSELS, dis., 209n; innervation,122r; roentg.,246a,j; spasm,22f; surgery,83h, 250a; wounds & injuries,246a,249s,t
BODY, 170-1; mechanics,198f; volume,183g; water,7h; weight,183p
BODY-IMAGE,149t
BOND, Thomas, 193e
BONES, abscess,209h; anat. & histol.,1g,k, 48d,188e; atrophy,77v,133i,236p,246h; cancer,25h,176s,246k; cysts,43b,176t; dis.,50b,81p,168m,236t; growth,76s,79c, 80q,137f,174h,175r,177t,236v; marrow, 5g,12s,31m,47d,64u,68s,196h,210n,205t,u,v,w, 206b,236t,254r; necrosis,78g,78r,v,w; pathol., 75q,125r; physical prop.,58w; prosthesis,81a; surgery,42s,201d; transplantation,80v,81b,f, 83k,251-1; tumors,47o,48d,75r,81n,139r
BORON COMPOUNDS, toxicity,211g
BOTULISM, experimental,17h; toxin,148h
BOUCHET-GSELL DISEASE,131b
BRACHIAL PLEXUS, wounds & injuries, 79n
BRACHT TECHNIC, 36-1
BRACON, 89v
BRAIN, abscess,227b,232v,233a,l,n,o,t,u; anatomy,61n; atrophy,75o,150f,237e; blood supply,66r; cancer,37h,208n; cortex,59j, 71f,148e,n,o,181b,c,182n,r,v; dis.,26n,49e, 54f,210h,231d; edema,60w; electroencephalog., 58k,60g,72a,140v,142j,146-1,148e,k,179v, 180a,,c,182k,191p,206o,212j,217v,231e, f; --in infants,180a; fats & lipoids,96o; hematoma,172o; hemorrhage,53g,115o; localization of functions,61n,148n,179i,181b,v; metabolism,196n; pathol.,66r,89j,148e, 181u,207i,217m,233d; pharmacol.,160c; physiol.,27k,40j,43-1,61h,71f,106n,123h, 148u,150o,165p,179n,181b,c; physiol., 215w,231n; roentg.,75o,77u,148s,206o, 220a,224c,--in infants & children,227m; surgery,47m,59p,r,135g,148m,r,149p, 156k,198b,211r,213s; syphilis,150t; tuberculosis,23n,47r; tumors,60u,61b, 62p,76w,77u,109c,124g,140v,148m,206m,o, 214j; wounds & injuries,48f,60v,80j,132o, 148e,150k,226-1,231h,232p,t,233a,w,234a
BREAD, 240h
BREAST, abnorm.,& deform.,126d; cancer, 48t,62r,82h,91d,r,102p,113s,125j,132u, 134m,173f,g,h,184g,198s,208t,209m,219h; dis., 48t; infl., 227h,i,j; physiol.,260d,i; surgery,137p,184f,250r; tumors,121f, 127v,184e
BRILLIANT VITAL RED,183a
BROAD, 243a
BROAD LIGAMENT, echinococcosis,215v
BROMIDES & BROMINE CPDS., 94b,241g; eff., 197i; therapy, 134d
BROMSALIZOL, 2c
BRONCHI, cancer, 5h,23v,130d,131h,176d; discharge,215u; disease,200g,--in infants & children,132n; hemorrhage,206p;

muscles,25-l; perforation,236o; roentg., 207v,246f; spasm,124-l; surgery,174w; tuberculosis,76r,86a; tumors,41i
BRONCHIECTASIS, 173w; therapy, 110s
BRONCHITIS, 132-l: in infants & children, 237f: virus of chickens, 259c
BRONCHOPNEUMONIA, in infants & children, 238a
BRONCHOSCOPY, 37u,78m,120-l
BRUXOMANIA, 32v
BUFFALO, 88b
BURETTES, 146e
BURNS, 142b; cpl.& seq., 26k,227p; pathol.,163f,236e,g; therapy,72v,172u, 175j,201a,227o
BURSA,211k; pretibial, 201k
BUTEA, 202w
BUTENE, 9q,r
CACHEXIA, nervosa,41u
CACODYL chloride, 95w
CADMIUM, 10v
CALCIFEROL, eff., 57t; therapy, 124j
CALCIFICATION, 7o,77k,118w,201k,256u
CALCIUM, chloride,10i; deficiency,34h, 189f; in diet,218a; metabolism,48i, 92k,l,109v; phosphate,18h; therapy, 156m
CALDWELL-MOLOY CLASSIFICATION, 78a
CALONCOBA, 254s
CAMP-EYE, 62n
CAMPHOR, 241g
CAMPS, 167f
CAMPTOCORMIA, 61j
CAMPTODACTYLIA, 127g
CANCER, 214h; cells, 79-l,91f,245v; chem., 5g; chorionic, 113d; constitution,5e; dental asp.,11o; diagn., 5e; endocrine asp.,52j, 114-l; epidemiol.& statist.,207a; etiol.& pathogen.,111j,l,m,r,192s,241e; experimental,56v,91j,k,m,w,92a,111h,i,k,l,n,o,p, 140k,p,147c; heredity,5e,91r,129t; in animals, 263a,263a,h,l; in infants & children,76v; industrial & traumatic,111q,r; institutes,184e; metabolism,92f,111-l, 196d; metastases,25h,37h,41j,46u,50-l, 62r,76v,79o,246k; mortality,23j,75h; pathol.,74f,167j; precancerous conditions, 184g; prev.& control,27g,74e; psychol. asp.,125v; registries,74f; research,91c, 140-l; social service,221-l; societies, 5d; surgery,83n, 128j; therapy, 58o,76-l, 111s,114h,197h,217e,245v
CANNIBALISM, 178s
CAPILLARIES, 20t,69q,179s; permeability, 45n,69g,134q,181t
CARBAMINOYLCHOLINE, 253f
CARBASONE, 20w
CARBOHYDRATES, metabolism,7s,13-l, 25g,65q,69n,118k,123h,182h,q,197i, 217v,239p; tolerance,217b
CARBON, 95a, 144i, 229t; radio-,146b,147g; therapy,68f
CARBON DIOXIDE, 97j; eff., 21f; metabolism, 56o
CARBON MONOXIDE, allergy,190v; toxicity, 28b,66j,133s,201m
CARBON TETRACHLORIDE, 90e
CARBONIC ANHYDRASE, 197k
CARBOXYLASE, 97j
CARBUNCLE, therapy, 110f
CARDAMOM, 161c
CARDIOVASCULAR DISEASES,19n,209n; anamnesis,139b; diagn.,120-l; etiol.& pathogen.,197t; syphilis,42m; therapy,140b
CARDIOVASCULAR SYSTEM, 39s; function tests,115f; physiol.,69h
CARNIVORA, 258v
CAROB, 132p,161r
CARONAMIDE, 3k; eff., 69m
CAROTENE, 14m,56g,93b,102w,183c,214n, 229s
CAROTENOIDS, 96p
CAROTID BODY, tumors,21s
CAROTID SINUS, 20v,133o
CARROTS, 68h
CARTILAGE, 79c,173s; dis.,82-l
CASEIN,93u,143h,146d,162m
CASTRATION, 113s,135c,177t,181v; in animals,259t
CASTS, cpl.& seq.,63u
CATALASE, 143h
CATALYSIS, 56c
CATARACT, 62k; cpl., 153h,155h; etiol.& pathogen.,48o; extraction,16p,25u,36j, 152r,s,153m,p,155k,156f,234f
CATECHOL, 95p,144k
CATS, 183p
CATTLE, breeding,258-l,260w; dis.,88u, 259d,e,262-l,263o; genetics,192b
CAUSTICS,58r
CAUTERY, thoraco-,85p
CAVE FAUNA, 264u,v,w
CECOSTOMY, 82r
CECUM, cancer,5k
CELASTRUS, 229m
CELIAC DISEASE,67t,210t
CELLOPHANE, 146g,175h
CELLS, 3s,54m, 140j,k,144w,145s,205q; death,179b; division,4o,91f,179b,217e; epithelial,177v; inclusions,180s; irradiation, 245v; mitochondria,205q; myocytes,1h; nuclei,59-l,229r; pathol.,1r; permeability, 56d; physiol.,56f,58e
CELLULITIS,129e
CELLULOSE, 9e,122m; digestibility,161p; oxidation,144a
CEMENTS, 188c
CENTRIFUGES,58u
CEPHALOSPORIUM, 155-l
CEREBELLOPONTINE ANGLE, diseases,49e
CEREBELLUM, 59k; atrophy,75o; dis.,49e; tuberculosis,29f; tumors,60u
CEREBROSPINAL FLUID, fats & lipoids,40i; pathol.,28v,108u; penicilline,18b; pressure, in animals,260n; tests,40i; urobilinogen, 217j
CESAREAN SECTION,24c, 106g,132r,137q; cpl.,41s,251p; extraperitoneal,212-l; hysterectomy,203q; indications,28n; veterinary, 258v,264c
CHANCRE, extragenital,121v,226-l,r,v
CHANCROID, epidemiol.& statist.,87f
CHARCOAL, 211h
CHARACTER, 150r
CHEESE, analysis,104-l
CHEMISTRY, 9s,t,u,27d,57j,147d,185j,241c; apparatus,185i; diffusion,10s; history, 185n; organic cpds.,8e,10u,95a; quantum, 143a
CHEMOTHERAPY, 17k,l,25f,36t,146a,223q; methods,248n
CHIARI FROMMEL SYNDROME See Lactation, disorders
CHICKEN TUMOR I, 91u
CHILBLAINS, 126h
CHILD WELFARE, 113a; clinics, 61t,w; in Brazil, 66w; in Canada,238-l; in China, 159k; in Great Britain,112k,202g; in Latin America,67a; in Mexico,212s,213-l; in

Switzerland,243s
CHILDREN, 33s,114u,207m,238g; care,31w; dis.,35r,158w; educ. & training,73n; growth,46b,237q; homeless,73r; hygiene & health,159k,171t,243s; nervous & mental disorders,31v,61t,u,w,112a,125h,126v, 138p,193k,207n,231u,238d; psychol., 62a,73m,165t,u,w,166a,237u
CHILOMONAS, 89k
CHINCHILLAS, 263f
CHINIOFON, 20w
CHLORAL, 229w
CHLORINE & CPDS., 58f; chem.,95w; determ., 8s; metab.,47b,219m; toxicity,90g,h
CHLORATES, toxicity,65t
CHLORELLA, 145q
CHLORHYDRINE, 93h
CHLOROACETONE, 97o
CHLOROBENZENE, 229u
CHLOROCYCLOHEXANE, 90r
CHLOROETHYLAMINES, 46f, 141h; therapy, 209g, 217-1
CHLOROETHYLMERCAPTO ALKANES, 95h
CHLOROETHYL SULFIDE, 59a, 97n,217-1,223d; chem., 95i; eff., 144g; toxicity, 65a
CHLORO PHENYL CHLOROETHANE (DDT) 74r, 90k,204r,206g,239r,255k,l,255m,261-1; eff., 89s; toxicity, 89q,198b,254s
CHLOROPHYLL, 10q,58f,p,193o
CHLOROVINYLARSINE, 65a
CHOLESTEROL, 65k, 158b; eff., 182-1
CHOLINE, 13m, 69o; acetyl-,60-1,m,68n,163c,d, m,180d; carbiminoyl-,253f; deficiency,7o; eff., 146s,219w
CHOLINESTERASE, 60p,66g
CHONDRODYSPLASIA, 79c
CHONDROMALACIA, 173s
CHOREA gravidarum, 16c; therapy, 219q
CHORIOMENINGITIS, transmission, 119t
CHOROID, absence, 234-1; tumors, 152h
CHROMATOGRAPHY, 142v,143u,146m
CHROMOSOMES, 56m,105s,t,106b,d,146o
CHRYSENE, 95g
CIBANONE ORANGE R, 144a
CICATRIX, pain, 215-1
CINNOLINES, 9-1,m
CITRATES, 13e,96r
CIVIL SERVICE, 145i
CLAVICLE, 112c
CLIMACTERIC, 200i,r
CLIMATE, 33b
CLOTHING, 243i
CLOVER, genetics, 105w,106a
COAL INDUSTRY, 169i
COAL TAR, 102g
COCAINE, eff., 68n
COCCIDIA, 178-1
COCCIDIOSIS, 258r,259j; human, 204p; immunity, 88a; therapy, 87w,88d,e,262t
COCHLIOMYIA, 88s
COCKROACHES, 60p
COCOA BEANS, 104k
COITUS, 129b
COLCHICINE, 157w; eff., 143-1,217e
COLD, eff., 56t,69g,o,84f,179a,248j; 12m,137w
COLITIS, hemorrhagic, 208m; mucous,14n; regional,26c; therapy,39m,n; ulcerative, 14e,26d,26e, 61g
COLLAGEN, 150d
COLLAPSE, therapy, 112b
COLLOIDS, 9t,10o,156m,186r; lyophobic,10b
COLON, abnorm., 250h; anastomosis, 55b; cancer, 25t,42-1, 54d,55b,c,117d,o,141q, 173a,176m,216f; dis., 176-1; diverticula, 250h; interposition, 77m; physiol., 14n; surgery, 15c,23i,82r,t,120c,129p,173r; tumors,15c,141q,176n,207s,219p; wounds & injuries, 49m
COLOPHONIUM, 161t
COLOR, 155e; psychol., 164g
COLOR BLINDNESS, 70n; diagn., 155c; in apes, 164s; therapy, 71c
COLOR VISION, 57a,62e,70n; training, 153n
COLORIMETRY, 185e
COLOSTOMY, 148a
COLOSTRUM, 92v
COMA, metabolism, 85c; therapy, 253d
COMMUNICABLE DISEASES, 145e; epidemiol. & statist., 226n; in infants & children,29i
COMPLEMENT, fixation, 87h,217h,j
CONDYLOMA, therapy, 157w
CONGO RED, 123c
CONGO RED TEST, 196k
CONJUNCTIVA, hemorrhage, 119b; pigmentation, 156e
CONJUNCTIVITIS, 110m; actinic, 201i; etiol. & pathogen., 154t; vernal, 234n
CONSCIOUSNESS, 149r
CONSTITUTION, 194c,e,210h
CONTRACTURES, 101c,127g,175i
CONVALESCENCE, 70s,107m,139i,224o
CONVULSIONS, 71q,150p,198k; etiol.& pathogen., 85f,164w; pathol., 85c; therapeutic, 30b,34k, 43h,59t,61-1,71i,k,128u,149t,164v,202-1,218b, 227k,--in pregnancy,231q; therapy, 68q,149w, 179w,202n
COOKING & EATING UTENSILS, 245i
COPEPODA, 57-1,178m
COPPER, 57-1; metabolism, 123k; organic compounds, 17o,p
CORNEA, anat. & histol., 153w; limbus, 62k; pigmentation, 156e; resistance, 152w; surgery, 155n; transplantation, 136r,138w, 154o; ulcer, 155m; wounds & injuries, 155-1
CORONARY VESSELS, anastomosis, 112r; circulation, 36w, 217k; development, 206g; dis., 26q,108o,109r,139k; occlusion,21o,23m, 32e,44o,120e,184t,206-1,208a; roentg.,5r
CORONERS, 199p
CORPUS STRIATUM, 32q
CORSETS, 253r
COSMIC RADIATION, 146b
COSTOCLAVICULAR COMPRESSION, 112c
COTTONSEED, 92j
COUGH, 208r; in children, 198i; therapy, 84v, 139n
COUMARIN, 30t,155s; therapy, 26b, q, 44o,206d
CRAFOORD, C., 172g
CRANIOLOGY, 57o
CRANIOPHARYNGEAL DUCT, tumors, 5m
CRANIUM, abnorm. & deform., 199t; cancer, 41j; dis., 156r; morphol., 100b; osteomyelitis, 233b; prosthesis, 11m; roentg., 245v; surgery, 83k,175q,227c,234i; tumors, 60u,109c; wounds & injuries, 135i,152k,232p
CREATINE & CREATININE, 7k; determ.,13f; eff., 163d; metab., 182t
CREATIVENESS, 59r
CREEPING ERUPTION, 102f,v,103f
CRESYL PHOSPHATES, toxicity, 126-1,150q
CRETINISM, 29a,223a
CRIME & CRIMINALS, 149-1,191o,p,q; military, 142g; psychol.& psychiatric asp., 33m,117n, 191n,212j; war criminals, 168t
CRIPPLES, 70u
CROP GLANDS of pigeons, 46a
CRUSH SYNDROME, 26-1,128o
CRUVEILHIER-BAUMGARTEN SYNDROME, 127n 221w
CRYSTAL VIOLET, 261-1

CRYSTALLOGRAPHY, 142u
CRYSTALS, 143e; liquid, 10t
CURARE, 2b,22b,34h; eff., 51-1,124-1,159r,179j, 183k,216o; prep., 40p; therapy, 30b,133o, 257u; toxicity, 83m
CYANOSIS, enterogenous, 141r
CYCLOHEXANE, 56b,147h
CYCLOPROPANE, 144b
CYSTS, congenital, 64b; etiol.& pathogen.,140h
DAIRY PRODUCTS, 166s
DARZENS-CLAISEN REACTION, 98h
DATURA, 240q
DEAF, surgery, 124m
DEAFNESS, 235s; diagn, 235a; epidemiol.& statist., 235m; etiol.& pathogen., 114j; therapy, 19v, 22b,116-1,157r,214b,235n,s; traumatic, 63p
DEATH, blood, 260b; cause, 6j,40w,79e,80j, 171u,202t,213h; physiol., 159s; sudden, 166o,222s
DECARBOXYLASE, 66c
DECUBITUS, 101r; therapy, 44i
DEFECTIVES, 70u
DEFICIENCY DISEASE, 48w,123o,124n; diagn., 56p; epidemiol.& statist., 23q, 43o; in animals, 88u,260f,w; in infants & children, 136q; manifestations, 62n; metabolism, 13-1
DEGLUTITION, disorders, 135t
DEHYDRATION, 53b
DEHYDROGENASE, 8i
DELINQUENTS, 164m,191o,238f; therapy, 231m
DEMENTIA PRAECOX, 114h,165i,231v; heredity,130k; in infants & children, 31w; therapy, 59p,r,181e,230w
DEMEROL, 68g; addiction, 30n
DE MORGAN'S SPOTS, 112g
DENGUE, prev. & control, 166n
DENTISTRY, 12e,101i,133q,174j,185t,187a; apparatus, 187c; diagn., 11m; education, 187r,s; history, 101j,185s; in Australia, 186n, in Chile, 12g,h,189u; in Great Britain, 187o; military & naval, 228n; pediatric, 11v,12a,b,188n,190p; psychol. asp., 11s; rel. to medicine, 101b,187r; social asp., 188f,j;
DENTISTS, Negroes, 11n
DEPRESSION, 149r,s,233h
DERMATITIS, factitious, 124w; herpetiformis, 102q,103b,h,226i; seborrheic, 67t; venenata, 12m,129q, 193v
DERMATOLOGY,12-1
DERMATOMYOSITIS, 102t,125r
DERRIS, 104j
DESOXYEPHEDRIN, 65m,q,66h
DESOXYRIBONUCLEASE, 7-1
DESTHIOBIOTIN, 94u
DETERGENTS, 4a,160j,179h,240n,254d
DEUTERIUM, 8i
DEXTROSE, tolerance, 70c
DIABETES INSIPIDUS, 219m; traumatic, 214u
DIABETES MELLITUS, 39v,117w,168h,194i; acidosis, 32e,217i; cpl. & seq., 22j,42i, 54n,104u,206s; diagn., 12t; diet, 51n; epidemiol.& statist., 125-1; etiol.& pathogen., 215k; experimental,31a,47c,52t,114p,145o, 180g,182w,183f,191j,216q,219n; eyes,22c, 42d,62q,154b,154j; in children, 31h, 61k, 105n; intestine,52s; kidneys,50f,137b; liver,8r,182h; therapy,22c,34v,37t,104w, 145o,210j
DIAGNOSIS, 21i,53q,137u,147w,151f,160u; in general practice, 55a; xenodiagnosis, 51j
DIAPHRAGM, abnorm.,48m; dis.,194h; roentg., 225p; wounds & injur., 248w
DIARRHEA, 112i,117t; bacilli, 3f; in infants & children, 25w,54j,67m,68f; therapy, 161r, 201t,237c; virus of cattle, 259d,e
DIATHERMY, 84d,e,135p,246-1; injurious eff., 41j
DIATHESIS, hemorrhagic, 63i, 158q
DIATOMS, 57-1
DIAZONIUM, 57j,94g
DIBENAMINE see Benzyl chloroethylamine HCl
DICTYOSTELIUM, 3q
DIET, adequate, 6s,103p; eff., 40-1; history, 224q; in India, 117o; military, 73b; psychol.,71-1; synthetic, 104g, 216m; therapy, 36p,40u,210v,215d,216r
DIGESTIVE TRACT, abnorm., 28w; cancer, 42p; dis., 42e,50r,130r,196t,--surg.asp., 31d
DIGITALIS, eff., 38b,217n; prep., 161n; toxicity, 37n,155q
DIODRAST, 51m
DIPHTHERIA, adult, 113e; allergy, 29h; bacilli, 97k; carriers, 30j; cpl.& seq., 126n; immunity, 50e,158k; therapy, 234w; toxic, 168n; vaccine, 167o
DISABILITY, 108n
DISASTERS, 108p,151k,236e
DISEASE, 194f,206p; chronic, 16t,19o,p, 79m,120p,130s,227g,--in children,222e; mental-physical rel.,227a
DISINFECTION, 119r,t
DISSOTREMA, 264n
DISTEMPER, virus, 88j,261o
DIURESIS, 45m,47b,65o,182f,217k; antihormone, 163f; experimental, 65u
DIVING, 20b
DOGS, dis., 259o,262v,263g,264h
DORYL, 9f
DRAGONFLIES, 264q
DRESSINGS, 151j,175j; compression, 83g
DROSERA, 161r
DROSOPHILA, 56v,143-1,147c
DRUGS, addiction,30n,231b; eff., 65p,68m, 240s; eruptions, 203r; labelling, 160w; organo-vegetable, 160k; prep., 162s; proprietary,161b; quality,160r; supply, in Austria, 227f,n
DUCTUS ARTERIOSUS, 44g,113q,117j,133t, 172f,g; artificial,174v
DUCTUS PHARYNGIOBRANCHIALIS, 1m
DUODENAL TUBE, 82r,129p,209t
DUODENUM, abnorm., 140q; diverticula, 16-1,54d,76m; movable, 43a; tumors, 14f
DURA MATER, abnorm., 61a; degeneration, 64n; wounds & injuries, 156k
DUST, 19b,54b,108d,e
DWARFISM, 32c,37a; renal, 27o,81p
DYES, 7n,10g,143i,o,144a,183a,185m; eff., 66e
DYSENTERY, 39m,112i; bacilli, 18e,142i, 226g; immunity, 45k; Sonne, 30d
DYSMENORRHEA, etiol.& pathogen., 52b; therapy, 53o,55c
DYSPHASIA, 60c
DYSTROPHY, 67t,133e
DZHANELIDZE OPERATION, 251m
EAR, atresia, 235n; cancer, 102p; dis., 54f, 194f,m; external,63h,216i,234w; internal, 16m,52d,64d,68m,148n,o,150n,196o; tumors,156r,216i; tympanic membrane, 38h; wounds & injuries, 131c,133v
EARWORMS, 90-1
EATON, Thomas Jefferson, 193a

ECHINOCOCCOSIS, epidemiol.& statist.,128r; fluid,204t; muscular, 247p
ECONOMICS, MEDICAL, 27e,138k,218q; plans, 118c,214h; types of practice,50o
ECZEMA, 49h,102p; infantile,112b,158w; therapy, 142f
EDEMA, 154f; blood, 122i; diagn., 115u; etiol.& pathogen., 13-1,46d,54i,167w, 209j,255q
EDUCATION, 67a; psychol., 149a,c,e,164e,f, 242i,l,n
EDUCATION, MEDICAL, 55h,107m,124i, 168i, 192v,214g,223e,244d; patient-use,194u; school physicians, 72u
EELS, dis., 258r
EGG-POWDER, bacteriol., 3h
EGGS, chem., 7k
EIMERIA tenella, 87w,88a,259j
EINTHOVEN TRIANGLE, 5s
EJACULATION, 86s
ELBOW, dis., 81r; surgery, 81a; wounds & injur., 109o
ELECTRICITY, 147f; injur. eff., 34a
ELECTRODES, membrane, 10c
ELECTRODIAGNOSIS, 82q
ELECTRODIALYSIS, 182e
ELECTROLYTES, 10f,70k, 85c,156m,185e, 229w,252k
ELECTROPHORESIS, 94h,143h
ELECTROPHYSIOLOGY, 181i,m
ELECTROSURGERY, 33v, 77f
ELECTROTHERAPY, 33t,246p; in ophthalmol., 33v; in venereal dis., 33w
ELEMENTS, 144h
ELEPHANTIASIS, 102m
ELK, 88b
EMAVON, 254d
EMBELIA, 202w
EMBOLISM, cardiac, 38b; fat, 199o; gas, 66o; pulmonary, 41p, 43g,79k, 206-1, 214v; splenic, 66o
EMBRYOLOGY, 1k,4-1,56e,1,230e; methods, 1f; organizers, 80q
EMERGENCIES, 25w,118f,224j; surgical, 203j
EMIGRATION & IMMIGRATION, 24h
EMOTIONS, 30n,71t,139r,142c,149i,150j, 164r,252u
EMPHYSEMA, mediastinal, 184q,225g,q; pulmonary, 41b,42c,78n
EMULSIONS, 91w
EMPYEMA, cpl. & seq., 175b; in infants & children, 126a, therapy, 113p,172p,221j, 251u,w
ENAMEL, 58w
ENCEPHALITIS, 54f; cpl. & seq., 150u,159a; etiol.& pathogen., 26n,27-1,124s,158n; immunity, 218d; in animals, 45t; vaccine, 218c,f; virus, 119f,l,218e
ENCEPHALOMYELITIS, equine, 107q, 119f; therapy, 261v; virus, 119q
ENCYCLOPEDIAS, 71s
ENDAMOEBA histolytica, 216t
ENDARTERITIS obliterans,62i
ENDOCARDITIS,254b; blood, 6e; cpl. & seq., 21k, 184p; diagn., 21q; infectious,109k; therapy,64-1; verrucous,263o
ENDOCRINE GLANDS, 60f, 69s, 105c, 123r, 124v,126g,191g,200k,227u,259b; dis., 32c, 51q; physiol., 7b,46a,182u
ENDOCRINE THERAPY, in dermatol., 12-1
ENDOMETRIOSIS, 54b, 82e, 140w, 221d
ENDOMETRIUM, 139s,197j; cancer, 47v; cult., 54o; pathol., 236k; tumors,37j
ENDOSCOPY, 138u
ENEMATA, 53s; nutritional, 82o
ENERGY, 69r,147e
ENVIRONMENT, 69o,227a
ENZYMES, 8i,j,l,92b,c,p,144w,146m,164q, 180i,185c; proteolytic, 97c,123u; respiratory, 96i
EOSINOPHILS, 110c,184u; tropical, 111v,202r, 254o
EPHEDRINE, eff., 65m
EPIDERMOLYSIS bullosa, 103f
EPIDEMIOLOGY, 25w,145e,169b
EPIDIDYMIS, 86o; tuberculosis, 32n,80-1; tumors,157v
EPIGNATHUS, 66s
EPILEPSY, 127d,219t; cpl.& seq.,43-1,53-1; education & training, 148i; electroencephalography 60g; experimental, 71m,q,164w; geophysical factors,168e,g; in children, 231-1; in veterans,129h; menstruation, 168e,g; mil.service,59t; pregnancy,28u; psychiatry,53m; rehabilitation,19w; social asp., 112w,124o; therapy,24k,36a,43h, 149v,w,179w,202n,212k,231-1; traumatic, 150b
EPITHELIUM, 89g,i,177v,181h,219e,256w; cult.,197j
EQUILIBRIUM, chem.,9t; psychic,243d
ERGOT, 219t,241e; eff., 46a
ERGOSTEROL, toxicity, 64v
ERTRON, 118w
ERYSODINE, 98u
ERYSIPELOID, 36c,49g,75a,262b; in animals, 260s; therapy, 262r
ERYTHEMA elevatum diutinum,102o; multiforme, 110m,p,133u,152o; nodosum,216c
ERYTHRATINE, 98u
ERYTHRINA, 98u
ERYTHROBLASTOSIS, fetal, 30f,r,39o,124k, 129m,203c
ERYTHROBLASTS, 205p
ERYTHROCYTES, 2p,122w,205p,210n,217c, 229n; count,220i,240g; fragility,64r; metabolism, 66d,70e,j; nuclei, 51o; pathol., 65t; production,25q,205p,206b; weight, 184k
ERYTHRODERMA desquamativa,137e
ERYTHROIDINE, 2a
ESKIMOS, 145j,243j
ESOPHAGUS, atresia,126c; cancer,157m,172w, 174s,176d,220n; dilatation,28g; disorders, 54c; roentg.,246v; rupture,175d; stricture, 29k; surgery,5-1,129n,157m,174r,209w; tumors,176e,214r,235o
ESTERASE,180d
ESTERIFICATION,94q
ESTROGENS, 89i,93p,r; chem., 96v; eff., 4m,46g,86h,114e,163e,191i,241e; pathol., 111m; therapy,28s,35q,114-1,115t,128o; toxicity,205k
ESTROL, 96v
ESTRUS, 177w,259n
ETHANOLAMINES, 68p
ETHER, allergy,2g
ETHMOID SINUS, cancer,235o; foreign bodies, 235e; hemorrhage,136a
ETHNOLOGY, 145j
ETHYL CARBAMATE, 91g; eff., 91u,95b, 115m,133h,141g,217f
ETHYLENE GLYCOL,2c,145t,229v,239c
ETHYLENE IODIDE, 94o
ETHYLENE OXIDE,144b
ETIOCHOLENOLS, 97e
EUGENICS, 141a,191v
EUGENOL,99i
EUGLENA 45b,178r

EUNUCHOIDISM, 105f
EVANS BLUE, 143o
EVOLUTION, 56v
EXANTHEMA, diagn.,213e
EXERCISES, 83i,84g,107m,179s; pediatric, 31s; for women,170n
EXHIBITIONISM, 149-1
EXOPHTHALMOS, 153g; etiol.& pathogen., 105e; intermittent,62m
EXPLOSIONS, 63p,108p,179g,182d,183g; heart,158d
EXPLOSIVES, 11h
EXTENSION, 81v; apparatus,81u
EXTRACTORS, 146t
EXTRAPYRAMIDAL SYSTEM, 32i,32r,s; abnorm.,153d; disorders,131p,q
EXTREMITIES, artificial,82b,132h,147s,v, 250j; blood supply,39d,70a,78h,168r,172h, 173j,182i,228m, 248r; cancer,82v; develop., 183n; dis., 133i; hypothermia,115c; inequality, 211a; surgery,201d; tumors,5f; wounds & injuries,84f,112u
EXUDATES & TRANSUDATES,45s; immunity, 17f
EYELIDS, blinking,165q,r; entropion,153t; lymphedema,102m; surgery,152-1
EYES, abnorm.,29d,154c,234-1; accommodation & refraction,70n,123d,152v,154k,m, 155a,156w,207d,234k,r; ageing,198h; allergy,152o; anat.& histol.,234q; artificial, 152m; calcification,125q; cancer,62r; cysticercosis,154g; diagn.,29n,197f,233e; development,264v; dis., 26w,38k,62n,o, 156g,226i,234f,--in infants & children, 32d,154s; embryol.,228h; exam.,29n; foreign bodies,153f; hemorrhage,153m, 234e,l; hygiene, 52o,--in infants & children,234o; movements,152j,153d,155u; muscles,62o,155v,156v; occlusion,152i, 156c; paralysis, 29d,102h,131d,156g; pathol.,32v,155q; physiol.,118a; surgery, 124m,153p,156a,234e,f; syphilis,102h; tension,152e,154j,219e; tuberculosis, 154g,227r; tumors,152c; wounds & injuries, 62q,152u,154r,203b,227p,234h
EYEWASH, 240j
FACE, blood supply,122r; cancer,24m; cellulitis,129e; deformities,99c; diseases, 49h; surgery,131s,174j,175q; tumors, 20p,202c; wounds & injuries,175m
FAGARINE, toxicity,212w,213a
FALLOPIAN TUBE, pharmacol.,253g; roentg.,106i,125m; torsion,83u
FALTA'S SCLEROSIS, 25n
FANCONI-ANDERSEN'S DISEASE, 133u
FASCIA, 35c,79v; regeneration,83e,f; rupture, 81t; surgerv,215a
FASTING,224q
FAT, 162j; chem., 97h; determ., 104k,l; eff., 111m; herniation, 22a,183u,v; in diet,104b; metabolism,258o; necrosis, 158d,236d; resorption,114r
FATIGUE, chronic,130b; mental,60d,180b; therapy,163g
FEAR, 59q
FEATHERS, 177r,192c
FECES, bacteriol., 18d; bile, 123n; exam., 213j, 238h; fat, 15e,141g; odor, 177j
FECUNDITY, 257m
FEDOROV, Sergei Petrovich, 251s
FEEBLEMINDEDNESS, 59o,126u,v,165u; heredity, 141a
FEMUR, fractures, 24d,50f,78w,80g,t,u,81h, 81u,w,82a,133d,137c; necrosis,78v,w; surgery,82s; tumors,80-1
FERMENTATION,3c; pathological,41t
FERNS, 229-1
FERRITIN,6p
FERTILITY, 93b
FERTILIZERS, 162p
FETUS, behavior,164t; blood circ.,206g; death, 30e,110k,205c; develop.,238p; dis.,192p,--in animals,259c; injuries, 81d; physiol.,13q,32a,45j,71n,77j
FEVER, diet,36p; eruptive,110m,117s; etiol.& pathogen.,117f,181u,197q; pallor, 213k; therapeutic,86v,122o,240w
FIBERS, 185k
FIBRIN, 155-1
FIBRINOGEN,92q
FIBROIN,185q
FIBULA, tumors,40t
FICIN, eff.,70i
FILARIASIS, 178k; experimental,58j; immunity,72j
FILATOV METHOD, 152d,249-1
FILTERS, 3m,185i
FINGERS & TOES, amputation,83o; fractures, 75w; hallux valgus,48q; surgery,46m,116n
FIRES, 108p,236e; spontaneous combustion, 57g
FISH, bacteriol.,79b
FISHES, 56v,144e,217r,264t,u,v,w; dis.,144d, 258r; gill-movements,143n
FISTULA, anal, 30-1; arteriovenous,173b; bronchial,252b; biliary,41d,q,42b,133m; congenital,64b; dental,188t;esophago-thoracic,249g; gastric,249b; labyrinthic, 52d; recto-urethral,257i; roentg.,48e, 75r; thoracogastric,175b
FLATULENCE, 35i
FLAVONES, 155s,168n; toxicity,119b
FLIES, 88s, 264q; erad., 74r,203f,245b
FLUIDS, 9t,69g,k,139h,147m,178w,179e, 185e,209b,252k; chem.,182o; phys. prop.,10m,n; therapy, 107i,130b,--in infants & children, 130j
FLUORENE, 91i,111o,146p
FLUORESCEIN, 153o
FLUORESCENCE, 57q,62k,143t,144d,155a, 180-1,230g
FLUORIDES, 11-1,35c,100t,167g,185v,186-1, 189k,190g
FLUOROACETATE, 160c
FLUOROPHOSPHATES, di-isopropyl,57s, 60p,180q,181w
FOAM, 104o
FOLIN'S METHOD, 51g
FOLLICULITIS, 12p
FOOD, 73b, 245r; allergy, 24c, 53n, 177i, 215j,o; canned, 166r; color, 13i; frozen, 166q; insects,90q; poisoning,79b,112-1, 240e,244s; specific dynamics,224w,225d,h; synthetic,216m
FOODHANDLERS, 244f
FOOT, clinics, 4t; deform.,168p,172p,219f; disorders,109q,245m,r; exam.,193w; prosthesis, 193o; surgery,132g; wounds & injuries,82g
FOOT & MOUTH DISEASE, 198u; epidemiol. & statist.,88o,261n,263c; human infection, 213o; virus, 261i,j
FORAMEN, epiploic, 50g
FORCEPS, Bumpus, 86p
FOREARM, fractures, 218o
FOREIGN BODIES, in air & food passages, 37w,40-1,126b,142-1,200w,207c,235g,m, 246v,247k; in infants & children, 235g; localization,77d,202r; removal,100i
FORMALDEHYDE, 93i,98-1
FOULBROOD, 90b,c

FOWL, breeding,258o; dis., 116k
FOWL PLAGUE, prev.& control,262h
FOX ENCEPHALITIS, 45t
FOXES, dis., 258p,260f
FRACTURES, cpl. & seq.,81f; healing, 49p,175r; march,80r; metabolism,70f; therapy,22-1,53w,80w,81u,172m,175r, 220i
FRAMBESIA, epidemiol.& statist.,136v
FREUDISM, 242k
FREUND, Leopold, 225c
FRIDEL-PICK'S DISEASE, 25o
FRONTAL SINUS, dis., 63d; surgery,64a, 157p
FROSTBITE, 84f,126h; etiol.& pathogen., 248j
FRUCTOSE, 181e
FRUITS & VEGETABLES, 103p,194i; canned, 13d; dehydrated,92s; extracts,52k; in diet,149f; juices,13e,g,169-1,216r
FUNGI, 52s,98c,146v,178e; allergy,23h; enzymes, 92p; cultures,178g,230d; toxicity,123m,225p; zoopagaceous,178d
FUNGICIDES, 12k,95c,239a; in vet. med., 263g
FURANS, 97w,144k
FURFURALNITRIMINE, 98g
FUSOSPIROCHETOSIS, 48h,186m,190-1; colitis,14e; therapy,100g,198-1
GALACTOSE, tolerance,225r
GALLBLADDER, calculi, 41d, 181j; dis., 20v, 47g,158e,200b,213j; excision,41b,205g,219f; infl., 31c,d; perforation,50m; physiol.,181j; rcentg.,254c; surgery,104t,250e; volvulus, 27o
GALLERIA, 57w
GAMMEXANE, 255j
GANGLION, stellate, 48i,60t; upper thoracic, 60t
GANGRENE, etiol.& pathogen., 142n; gas, 17s, 83b,142n,197g; postoperative,125a; therapy, 124g
GAS, 11d,g,98b; chem.,10e; pois.,65a
GASTROINTESTINAL TRACT, abnorm., 206e; cancer, 91o; dis., 15j,l,25w,30d,41t,112i, -- in animals,259g;--in infants & children, 132p; eff. radiations, 15-l; hem., 104w, 128k,196w; pain, 130t; physiol.,7f; tumors, 14f,91w,167j
GELATIN, 82o
GELATIN SPONGE, 44k
GENITALS, blood supply, 172k; cancer, 5-1, 50k; development,4m; hemorrhage,135i; physiol.,180h; tuberculosis, 132r,200u, 212v,215c; ulcers,43k; wounds & injuries, 247t
GENITOURINARY SYSTEM, tuberculosis, 212v; wounds, 257f,j
GEOGRAPHY MEDICAL, 34d,221m; Alaska, 243j; Brazil, 254n; Colombia, 224-l; Fiji, 38k; India, 202t,229i; Mozambique, 137u; Uruguay, 41w
GEOPHYSICAL PHENOMENA, 168e,g
GERIATRICS, 37q,218m
GERMICIDES, 160v
GLANDS, physiol., 70o
GLASS MICROSPHERES, 182i
GLASSES, 62u,172c; contact, 62f,228h
GLAUCOMA, 88p,152e,153k,r,198h; cpl. & seq., 155h; diagn., 155o; etiol.& pathogen.,111e, 152g,r,154i,155p; therapy, 153e,154n,205b
GLIOTOXIN, 58o
GLOSSINA, 33f
GLOVES, 58u
GLUCOSE, 8j, 23r, 82o, 151e; eff., 46c,141q, 182w,216s
GLUCOSIDES, 160h,p
GLUCURONIDASE,96h,147h
GLUTAMINE,92b,92c,92f,93d,e
GLYCINE, 7m,98v
GLYCOGEN, 105c,177r; in liver and muscle, 92t,134i,217i; metabolism,158o,168c
GLYCOLS, 119r,t
GLYCOPROTEINS, 181q
GOATS, dis., 260f
GOITER, etiol.& pathogen., 137j; in infants & children,115b; in pregnancy,117k
GOITER, EXOPHTHALMIC, 79h; therapy, 44e,45r,113w,207-1,o
GOLD, colloidal, 201h
GOLGI APPARATUS, 89j
GONADOTROPINS, 51w,52q; anti-,191g; chorionic,105f,h,191j
GONADS, insufficiency,30b
GONOCOCCI, cult.,126p
GONORRHEA, cure,126q; diagn.,126o,q; immunity,126r; therapy,49j,87d,e,o,115w, 142f,213h,218w,226d; urethritis,87i
GOUT, 49-1
GRADENIGO'S SYNDROME, 62-1
GRAIN ITCH, 101w
GRAMICIDIN, 251g; therapy, 197e
GRANULOCYTOPENIA, 43s,161n,208f; etiol. & pathogen.,26o,117i,127n; therapy, 42w, 105o
GRANULOMA, 189b,248g; cpl., 100p; etiol. & pathogen.,54g; infectious,159f; inguinale, 44v,75q; lipophagous,41j; of turkeys, 88e
GRAPEJUICE, 13g,238k
GRAPES, vitamines, 73j
GRAPHS, 3-dimensional,58-1
GRASSHOPPERS, 90h,i,r
GRAVITY, 78i, 181o
GREEN METHOD, 88j
GROIN, tumors, 209d
GROWTH, 46b; disorders,32c; exp.stud., 46i,91j,k; factors, 3j,146c; in plants,58h
GUANIDES, 89n,98n,o,240o; therapy,171h
GUILLAIN-BARRE SYNDROME, 134g,148j, 159b,197v,223v
GUMS, dis., 100r; surgery,99m
GUNS, projectiles, 11d
GYNECOLOGY, 121f,125e,132f,133-1,173u, 192j,203v,207-1,209s,227u,252m,o; congresses, 106j; history, 39g; in general practice, 30s; veterinary,258v
GYSI'S LAWS, 100b,c
H SERUM, 255v
HABROBRACON, 71j
HAIR, 12p; removal, 34k
HAMACREADIUM, 204s
HAND, amputation,133c; arthritis,78f; bones, 75r; infection,252t; surgery,116n
HAPLOSPORANGIUM, 178h
HARVEY, 193g
HAY, 57g
HAY-FEVER, 177m,218g; epidemiol.& statist., 220b; etiol.& pathogen.,253c; therapy, 177i, 211h
HEAD, cysts, 64b; surgery,175q; wounds & injuries,60h,114i,127b,128e,197f,199i, 232q,s,u,v,233e,233g,h,p,r,w
HEADACHE,63j,125d,179u,196s,203j; ocular, 234r; otogenic,214w; therapy,63n
HEALTH, 19d,27e,125d,224s,243u,253n; certificates,221o; education,72w,166m, 169w,203h; resorts,134n,233j
HEARING, 56r,71q; disorders,150n; physiol., 165m; tests,157d,e,235c

HEART, abnorm.,27w,40h,138-1,147a,158f, 174v,237m; anat. & histol.,1h; beat,6d; block,6d,i,123-1,201e; calcification,77b; catheterization, 5t,77p,q; compression, 82g; conduction,5v,34-1,123b; development, 206g; dilatation,40p,67u,127p; dis.,21q,33b, 40w,108o,194k,201w,202m,211f,217s,219g, 222s,--in animals,260t,--in infants & child., 12a; displacements, 75v,209u; echinococcosis,215g; eff. drugs, 159t,213a,217k,n, 219t; electrocardiography,5s,t,6j,20v,21f, 42-1,77c,108u,120e,122s,123-1,127i,130c, 134h,168a,184j,184-1,m,w; electrokymography, 181s; function,69d,s,77c; function tests,115f,184s; infarction,44o,130d,196v; innervation,137j,181w; insufficiency,6h,j, 21k,p,48p,52r,136k,184k,206-1,209j,248t; massage,47h; metabolism,179k,183f; murmurs & sounds,18t,19f; pathol.,54f; physiol.,1k,5u,6b,123b,180n,181s,182g, 184n; pressure,159t; rate,21p,130u,164t, 196r,253h; roentg.,5r,77r,120-1; myocardiography,159t; roentg.,226v,246i; rupture,20f,23g,158d; septum,184p; strain,184q; surgery,30v,w,224g; tumors, 47u,213t; volume,246i; wounds & injuries, 20f,29s,158d,249w
HEAT, eff.,69o,93e,190u,236e,g; regul.,70b, 114p; therapy, 181k
HEBREW, 242i
HELIOTHERAPY & PHOTOTHERAPY, 33t, 35r,155b
HEMATOMA, umbilical, 28p
HEMATURIA, 32m
HEMIPLEGIA, 27p, 109c, 131c; therapy, 215h
HEMOENCEPHALIC BARRIER, 32h
HEMOGLOBIN, 65r,s; determ.,65w,66d,e,f, 96t 103q,124v,143j,143s,199w,180e,209g, 237p
HEMOLYSIS, 42g,70j,76s,217c,246-1
HEMOPOIETIC SYSTEM, 205q; dis., 33d
HEMOPTYSIS, 78m
HEMORRHAGE, 69w,179g; blood, 180g; loss determ., 82m; cpl. & seq., 206-1; eff., 69u; in otorhinolaryngol.,63i; intra-abdominal,28o,47f,50m,175q; shock, 179f, 216u; therapy, 44k,212h
HEMOSTASIS, 44k,63-1,104v,186p,199s, 219s; in otorhinolaryngol.,250u
HEMOTHORAX, therapy, 24v
HENRY VIII, 223f
HEPARIN, 44o,180k; therapy, 206d
HEPATO-RENAL SYNDROME, 134n
HERBALS, 193b
HERBICIDES, 58h,239a
HEREDITY, 130k,171c,190m,192d,231n; in dis., 19n,21t,36s,67n,223a; mechanism, 56v,57v,105t,u
HERMAPHRODITISM, in insects, 90r
HERNIA, diaphragmatic, 77m,158q,175b, 207m,247f; femoral, 216e; iliac, 35j; inguinal, 79v,159e,212b,225b,257k; ligamentosum of horses, 260j; obturator, 52a; retroperitoneal,199r; Spiegelian, 41c; strangulated,68g,139a,216e; surgery, 79v; therapy, 133f
HERPES, simplex, 216b; zoster, 38i,212v
HEWODONT, 101o
HEXOKINASE REACTION, 7t,181a
HEXOSES, 196n
HEYNEMANN'S REACTION, 138u
HICCUP, therapy, 138g
HIP, ankylosis, 35m; denervation,50g; dis., 77-1,78v,w; dislocations,50a, 78v,w,222r; surgery,39p,49o,80t,u, 131t
HIRSCHFELD & NAEGELI DISEASE,42r
HIRST REACTION, 197g
HISTAMINE, 163f; antagonists, 24g,44d, 68n,88i,109r,130r,160d; eff., 46a,217o; metabolism,215j,o; therapy, 63n,131s, 134b,138g,197p,210e,211b,c
HISTIDINE,133b
HISTOPLASMIN,allergy,171c,119a
HISTOPLASMOSIS,47u
HITLER,212-1
HJARRE & WRAMBY DISEASE, 88e
HOARDING,164s
HODGKIN'S DISEASE,219v; cpl. & seq., 41-1,103-1; diagn.,28a,112s; therapy, 141h,246j
HOFMANN REACTION, 97v
HOMEOPATHY, 193-1
HOMICIDE, 149j
HONEY, 90d
HOOF, dis., 259s
HORMONES, 170m,172b,208n,u; allergy, 49i; anti-,105f; antidiuretic,163f; placental, 30e; plant, 57a; sex, 5-1, 12-1,n,31b,46a,51w,71g,91i,94j,96h, 105-1,124f,127u,130i,140n,212e
HORNER SYNDROME, 175e
HORSES, 260b; breeding,261u; dis., 258g,259c,m,p,s,260o,263d
HOSPITALS, 16t,136q; accidents,195b; alcoholism service,195b; Catholic, 194p,s; chain organization,194w; dental serv., 12g,h,107k; economics, 194s; in Belgian Congo, 172-1; in Mexico, 240c; maternity,15s,26u; medical serv., 120w; planning,30d, 107g,h; psychiatric,73g; psychiatric serv.,109k; records, 194v; social service,107f,221q; trustees,107f,g; Veterans Administration,176v
HOUSING, 166n,169k,170j; inGermany, 169j
HULLIGER'S SERUM, 34j
HUMAN EXPERIMENTATION, 194u
HUMERUS, cancer, 176r; dis., 81r; fractures, 50b; osteomyelitis, 232o; prosthesis, 81a; varus, 81d
HUMIDITY, eff., 90m
HUSTIN, 213g
HYALOPLASM, 205q
HYALURONIDASE, 56u
HYBRIDITY, 4-1, 58b,147a,192c,e
HYDANTOIN, 97q,219q; eff., 253e
HYDRA, 4-1, 145r,181r
HYDRARTHROSIS, 53b
HYDRAZINE, 124h
HYDROCARBONS, 90h,91w,111i
HYDROCEPHALUS, 237g; diagn.,131e
HYDROGEN, 8i,144b; metabolism,7h; sulfide, 142i
HYDROGEN ION CONCENTRATION, 18b, 93d,156m,161u,223q,259c
HYDROLYSIS, 58r
HYDROMANTES, 177p
HYDRONEPHROSIS, 86h,158h
HYDROQUINONES, 65-1; toxicity, 156e
HYDROTHORAX, 110o
HYGIENE & SANITATION, 169k,170f; camps, 167f; cities, 170u; dairies, 166s; educ.,168i; in Dominican Rep., 72u; military, 141u
HYGROSCOPY, 58v
HYPEREMIA, 105h
HYPNOSIS, 149i,k,231o
HYPNOTICS, 109w; synergism, 159r

HYPODERMA, 258p; human infection, 262e
HYPOTHALAMUS, tumors, 20p; physiol., 32t,60f; pathol.,180s
HYSTERIA, 37g,149c,e; conversion,38k; manifestations,152i; therapy, 11s
ICE CREAM, bacteriol.,104p
ICHTHYOSIS, 223a
IDIOCY, amaurotic, 61t
ILEOSTOMY, 82t
ILIUM, tumors, 81s
ILLUSION, 165n
IMIDAZOLES, 98s,126h
IMIDAZOLIDONES, 96n
IMINO ACIDS, 98q
IMMUNITY, 108a,o,119n,158k,170r,196q, 197g,208-l,220s; development,124q; in plants,105v; pediatric,31q
IMPOTENCE, 86s,129b,149i,172k
IMPREGNATION, 170o; artificial,112j, 252n,261t
INCUBATORS, 264f
INDIANS, 224q; dis., 219i
INDIUM, 10p
INDUSTRY & OCCUPATION, absenteeism, 108g,203d; dis. & pois.,49g,53m,78e, 108d,e,f,129q,131b,137p,142p,154t,156e, 190v,195h,212s,221p,262b; hygiene,20b, 54b,108k,l,167g,203u,212q; med., 20c,d,e,f, 21i,27a,108-l,m,114t,121f,139o,151s,167p, 171u,203e,v,w,204a,b,219g,244q,246q,250o; personnel selection,164-l,195e; psychol., 164d,e,165f; postwar cond.,35q; stigmata, 108h
INFANTICIDE,53m,145j
INFANTS, exam.,77e; feeding,31w,67f,68c,h, 151i,167q,207n,237w; mortality,110k, 112k,166o,205c, premature,25c,67g, 110a,124q,154s,200d,238o; psychol.,33n; roentg.,77e; welfare,73v
INFANTS, NEWBORN, 124q; blood,124s; dis.,43m,77j,154s; identification,200c
INFECTION, 50s,121g,255a; blood,138m; diagn.,51j; focal,52j,100-l,101g,168a, 189-l,190d,200k; therapy,36p,52k
INFLAMMATION, 30h,145m
INFLUENZA, 113b; diagn., 17e,107v; epidemiol.& statist.,128f,170m; immunity, 107r; in animals, 107r; prev. & control, 131v; therapy,119j; vaccine,108o; virus, 23p,51o,107r,u,144w,217-l
INFRA RED RADIATION,10v,w,9u,33u,57i, 185d
INHIBITION, 144q,243e
INJECTIONS, 124n; apparatus,44r,264e; intra-aortic,118o; intraperitoneal,182w; intravenous,30i,130b,263j; veterinary, 263p
INOSITOL, eff., 21o
INSANITY, 115t; blood, 46c; delusional,117n; etiol.& pathogen.,33-l,150s,t; in animals, 243d; manic depressive, 36o,59t,149s, 231v,233h; pregnancy,231q; therapy, 59p, 60d,181e,227k; toxic,59g
INSECTICIDES, 47i,72-l,75g,89r,90b,d,g,h,i,j,k,m,n, m,n,p,q,r,159p,167m,228f; in vet.med.,263g; repellants,90o; sprayers,142o; synergisms, 58w
INSECTS, 56s,w,89s,u,90-l; transmission of dis.,36g
INSTRUMENTS, 61d,81u,138u,144g,156d, 235b; dental,101h
INSULIN, 159o; eff.,7t,70c,84w,123a; globin, 112q; protamine zinc,37t; therapy,30o, 59p,60d,105n,181e; tolerance,46g; toxicity, 177g, 182q
INSURANCE, 19h,j,p; deafness,235s; life, 18s,18u,v,19-l,q; sickness,19m,31a,34e, 74m,86g,190r,199k,221t,256e; state,86g
INTELLIGENCE, 59o,71c,t,166j,231j,242f
INTESTINES, abnorm., 206e; anastomosis, 50w,55b; bacteriol.,54k,--in animals,260j; cancer,37h,j,83n,92a; decompression,172v; dis., 20s,26c,65d,173d,197q,224f,--in infants & children,25w,237c; diverticula,141n; gangrene,115v,250v; hemorrhage,42g,43j, 83m; infarction,42g; innervation,163j; metabolism,218j; obstruction,28j,50-l, 54r,70d,82e,110v,117h,133f,173t,200b, 206e,223n; parasites,20w,41e,67o,112v, 113r; gangrene, 115d,e,o,p parasites, 140f,147q.158e,202w, --in animals,260j,260n; physiol.,51p, 65-l,70d; rupture, in animals,263i; surgery,82r,t,222e; tuberculosis,78t, 209k,222e; tumors,14r,w,131k,176k, 219a; volvulus,41v, 53e,127d,247o; wounds & injuries,20s
INTUSSUSCEPTION,67i,237d; colocolic, 173q; diagn.,249a; in adults,116r
INULIN,51m
IODINE, chem.,95v; eff.,45r; iodides,94o, 182-l,212v; metab.,96k; radioactive, 21c; toxicity,105n
IODOBIL,254c
IODURON, 246j
ION TRANSFER, 144-l,179g
IONONES, 93o,94e
IONYLIDES, 94a
IRIS, 262c; diagn.,29n; nevi,152q; surgery, 154n
IRON, bacteriol.,117p; eff.,119q; in diet, 166p; metab.,33i,68q,s,254g; oxide,144r; prep.,239e; therapy,210q; toxicity,102j
IRON ORE INDUSTRY,108e
ISINGLASS,23r
ISO-PAR OINTMENT,234w
ISOSPORA,258r
ISOTOPES,123g,131k,137v,147b,185o
ITYOGONIMUS,258s
JAMES IV, 192w
JAUNDICE, catarrhal,23v,43c,47d,w,110s,112n, 116b,118n,q,r,124p,127-l,128j,q,168m,197v, 208d,221d,225r,s; etiol.& pathogen.,43k, 47n,118s,222g; hemolytic,125r,135t,214d; in infants & children,209m; obstructive, 109q; therapy, 118m,207s
JAWS, 34b; abscess,100a; contractures,101c; deformities,34n,134r,175h,l; development, 99r; dis.,99n,136d; fractures,174n,o,250n; growth,137f; mechanics,100b,c; osteomyelitis, 63v; prosthesis,11-l; roentg.,187t; surgery, 101s,t,174h,j,187q; temporomandibular joint,186b; tumors,174n; wounds & injur., 175m
JOHNSON,242w
JOINT-ILL,264e
JOINTS, ankylosis, 1p,50c; lameness in horses, 263d; surgery,42s; tumors, 81n
JUDGMENT,165o
JURISPRUDENCE, MEDICAL, 53m,109g,h, 117n,121k,l,m,n,o,p,121p,160w,190a, 203s
KAHN TEST,64o
KALISH,71h
KALLANCHOE,161j
KAMALA,202w
KAUFMANN'S MEDIUM,18d,e
KELLER, Helen,148k
KELOID,103i

KERATIN, 104e
KERATINIZATION,45j
KERATITIS, cpl.& seq.,63r; disciformis, 62m; etiol.& pathogen.,152p,155-l
KERATOCONJUNCTIVITIS, epidemic,167-l
KERATOSIS,102b,103g; follicularis,103h,w, 116g,134m
KEROTAKIS APPARATUS,145b
KETONES,98h,l
KIDNEY-BELT,86q
KIDNEYS, abnorm.,86h,172t; anat-& histol., 1i,89g,h; blood supply,36w,66m,140t; calculi,256u; cancer,37e; cysts,32o,86j, 109-l,158h,227d,256u; dis.,19n,26m,40u, 53s,81p,137e,--in infants & children, 51u,52-l; echinococcosis,121w; ectopic, 252e; exam.,78g; excision,80h,86i; extracts,66c; function tests,47t,51m,55m, 106t,227u; hormones,66a; insufficiency, 26k; metabolism,96g; movable,86q,252e; necrosis,106w; pathol.,26k,50f,118w, 236i,j; pelvis,40k; physiol.,7u,v,27d, 40f,47b,69m,s,120t,132v,163-l,179m,p, 180k,m,o,p,182c,183k,--in infants & children,114k; roentg.,76q; supernumerary, 86h; surgery,173u; syphilis,210d; tuberculosis,32-l,86i,212v; tumors,48j,86i,128-l, 129t,210b,237i; wounds & injuries,247m
KIRK, N. T.,55q
KITOL,58i
KJELDAHL,p04o
KLIPPEL-FEIL SYNDROME,208r,226t
KLIPPEL-TRENAUDAY SYNDROME,131r
KNEE, arthritis,27q,42d; dye absorption, 80s; innervation,81e; surgery,137j,215a; wounds & injuries,81t
KORSAKOV SYNDROME, 208q
KRAUZE'S METHOD, 248n,249n
KRUKENBERG HAND, 250j
KYMATOTHERAPY, 135p
KYMOGRAPHY, 58-l
KYRLE'S DISEASE, 102b
LABOR, 192-l; blood, 147h; cpl., 15v,28o,r,t, 106v,107b,128o,192p,207b,221k; conduct,36-l; drugs, 222g,253f,g; forceps, 28u; painless, 53r,151h; presentation,117k,127d
LABORATORIES, 53q,55a,147m,p,222n; personnel, 12u
LACRIMAL ORGANS, cancer, 153u; dis., 152n
LACTALBUMIN, 109i,146d
LACTATION, 92u,104g; cpl., 227i; dis., 51a, 68c; metabolism,103t,v; physiol.,46a,g
LACTONES, 213a
LACTOSE, 8p
LAKES, 88s
LAMENESS in horses, 263d
LAMPS, 61c
LANGEVIN, 143p
LANGUAGE, 42q,242g, i
LANOLIN, 197g
LARYNX, cancer, 64h,125p,139f,174e,206m, 227t,252o; dis., 63s,237f; paralysis,63u; surgery,132a,137q; tuberculosis,251i; tumors,28c,63q,r,158b,235-l; ulcer,64f, 157h,i
LATHYRISM,115g,202s
LAVENDULIN, 8n
LEAD, chem., 10h; toxicity,109j,207i
LEARNING, 71s,145i,157b,164t,165-l,242-l
LEGG-PERTHES DISEASE, 81t
LEGISLATION, 194q; in Germany, 259s; in Missouri, 121-l
LEGS, inequality, 79p,82s
LEISHMANIA, 255o; staining,51h
LEISHMANIASIS, 21m,t; cpl. & seq., 117i; diagn., 102e; epidemiol.& statist., 255p; in infants & children; 74v; prev. & control, 171o
LENS, CRYSTALLINE, 62k; hydrargyrosis, 155j; tumors, 91h
LEONTIASIS OSSEA, 135u
LEPROMIN, 220q
LEPROSY, cpl. & seq., 195r; contagiosity, 117r; epidemiol.& statist., 195r; neuritis, 195t; pathol., 1r,216c; photography, 195q; prev.& control,195q; social asp., 237v; therapy, 111v,195s
LEUKEMIA, 42r; etiol.& pathogen., 29e; experimental, 91g,t,205r; lymphatic,140m, 141g; myelogenous, 25k, 29g, 64u; 138q, 217f; myeloid, 226q; therapy, 44b,46h, 115m,133h,134j
LEUKOCYTES, 33f,110a,115h,158o,185w, 217f; ascorbic acid, 124h; count, 35h, 35r,110c,240g; production,206a
LEUKOCYTOSIS of rabbits, 45s
LEUOKORRHEA, 254h
LIBMAN-SACKS SYNDROME, 25m
LIBRARIES, 16g, 164n; international exchange, 58e
LIBRARIES, MEDICAL, 193h; Army M. Lib., 58e; Cleveland,193b; Peiping,113m
LICENSURE, 48p
LICHEN, moniliformis,102g; planus,103a
LICHENIN,93m,n
LIFE, duration, 19m,75k,l,244n; prolongation, 18w
LIGAMENTS, dentate,60s; intercolicum of horses,260j; surgery,215a
LIGHT, 115b,144s,147i,155d,185e; chem., 10q; colored,70n; eff.,66g,145q,229p, 264u,v,w; injur.eff.,35h,132c,181r,201i, 246-l,261p
LIGHTING,181f,241o
LIMULUS, 182c
LINDAU-VON HIPPEL DISEASE, 236c
LIPASE, 236d
LIPODYSTROPHY, 65d
LIPOIDS, 3t,96o; cardiolipins,87k; eff.,111m; metabolism,239o
LIPOLYSIS, 239o
LIPS, abnorm., 174-l; cancer,79o; surgery, 201u
LIPSCHUETZ DISEASE, 43k
LISSAJOUS FIGURES, 241r
LITERATURE, 210k; international exchange, 58e; psychoanalysis,231w
LITHOPEDION, 224h
LITOMOSOIDES carinii, 178k
LIVER, abscess,131r,197a,198f,219s; accessory lobe, 75u; acute yellow atrophy,135d amebiasis in children,117m; blood supply, 36w,221w; cancer, 38d,46u,92f,110r,111p; chem.,8p,68q,96s; cirrhosis,21o,22g,28-l, 42i,110o,116a,118s,t,u,133g,134i,206k,u, 221s,236p; cysts, 113e,140h; diagn.,14s, 39e,115u,118s,217i; dis., 14f,23v,42q,44c, 46m,103o,118o,123n,134n,197o,207s; echinococcosis,25r,41d; edema,66q; enzymes,8r,69t; extracts,3j,46i,92e,93e; function tests,118m,122k,125i,134k,158v, 204m,212n,221c,222i,k; metabolism,7j,s, 21c,68s,96g,182h; palpation,198-l; pathol., 140n; physiol.,40-l,69t,118-l,179-l,197o; roentg.,75u; surgery,41b,43i; tamponade, 219s; tumors,144v; wounds & injuries, 50m,122r,173k,248i
LOBELIN, eff.,51-l
LOCOMOTION,198f; training,253r
LOUPING-ILL,89j

LOVE, 73n
LOXOSTEGE,89v
LUDWIG'S METHOD, 246i
LUMBOSACRAL PLEXUS, 222r
LUMINESCENCE,143t
LUNGS, abscess,24s,126a,131m,168c,200g, 201g,209u,220e,252a; anat.& histol.,124m; blood supply,36w; calcification,47u,119a; cancer,23b,41j,49u,79f,g,120k,129o,208g, 215u,250s; collapse,31r,40h,112j; cysts, 39f,120q,140h; development,122q; dis., 116v,175c,207v,218p,--in infants & child., 132n; echinococcosis,24i,38j; edema,22s, 145a; immobilization,21j; infarction, 39e; lavage,43d; pathol.,25r; physiol., 84n,183d,i; radiol.,122p,131u,175c,245u, 246f; surgery,40-1,79f,g,173w,174w, 85g 175c; syphilis,49a,201g; tumors,65b, 91v,122p,176f,214r; volume,114t
LUPUS, erythematous,103k,155q,222a
LUTEMBACHER SYNDROME, 237m
LYING, 191r
LYMPH, 208o
LYMPH NODES, calcification,76k; cancer, 25h,79o,91d; diagn.,82p; dis.,33e,40s, 68d,237f; pathol.,28a,e,38d; physiol., 206a; tuberculosis,27s,41m,136j,158w, 236o; tumors,221u
LYMPHANGITIS epizootica 260o
LYMPHATIC SYSTEM, 236d; cancer,50-1; dis.,42r; roentg.,138r
LYMPHOCYTES,129a; pathol.,44f
LYMPHOCYTOSIS in cattle 263h
LYMPHOGRANULOMA VENEREUM, 54q, 116r,254v; cpl.,152p; diagn.,45h,87h; epidemiol.& statist.,87g
LYMPHOID TISSUE, 128a,205j; cancer,208s
LYMPHORRHAGIA, 66q
LYSHOLM SKULL TABLE, 245v
LYSINE, determ.,96n
MACULA, 154f; pathol.,155t
MADHUMEHA, 117w
MAFOLIATA, 258c
MAGNESIUM & COMPOUNDS, 10o; eff.,163d; deficiency,164w
MAGNETISM, 57n
MAGNETS, 37w
McDOWELL, Ephraim, 39g
MALARIA, 147-1,169f; avian,51h,119m; blood,110a; cpl.& seq.,24m,110d,116s, 117m,210q; diagn.,51j; epidemiol.& statist., 75d,89w,116f,138f,171-1; experimental, 255m; in veterans,142q; plasmodium,51k, 255p; prev.& control,75g,89t,142o,190o; regression,254t; relapse,202v; tertian, 30m; therapy,9b,c,k,53i,98k,n,o,121t,138b, 171h,196t,240o,255f; transmission,113j, 255i,j
MALT, 162j; extract,104n,239p
MAN,166h,170-1; prehistoric,57o
MANGANESE,143t; determ.,7n
MANGE, bovine,262-1; prev.,262h; therapy,88f
MANURES, bacteriol.,3p
MARGGRAF, A.S.,185n
MARINE LIFE,142u,217p
MARRIAGE,73h,191u; polyandry,145j; premarital tests,73c
MARSHALL LIBRARY,193b
MARTINEZ DEL RIO, J.P.,212o
MASCARA,155n
MASSAGE,47o
MASTICATION,157i,j
MASTOID, surgery,16m; tuberculosis,29e
MASTOIDITIS, cpl.& seq.,62-1,216i; masked, 63-1; zygomatic,123s
MATERIA MEDICA,161k,194i; Brazil,162s,v
MATERNITY, mortality,52n; welfare,73v,75e
MATHEMATICS, 243a
MATTER, 55v,56k
MAURER'S METHOD, 85p
MAXILLARY SINUS, dis.,235k; medication, 235p
MEAD LIBRARY, 193h
MEASLES, cpl.& seq.,68e,158n; hemorrhagic, 110e; immunity,67h,l; transmission,58b
MEAT,170h,259n; in diet,103p,218a; inspection, 170h,262g,264d; pickled,169c; vitamins,103r
MEDIASTINUM, fixation,168b; tumors,29e,83-1, 176g
MEDICAL CARE, 55f,129c,214m,244d
MEDICINE, 23f,42j; errors,115k,116b; history,35u,88b,101j,113n,128s,175s, 192v,w,193a,d,e,211i,219i,229j; in art, 256j; in Belgian Congo,172-1; in China, 23-1; in Connecticut,24o; in Egypt,49w; in Great Britain,42s,141d; in India,109u, 117w,212k; in Korea,39i; in Michigan,193e; in Mozambique,137u; in Paris,223j; in Poland,113g; in Russia,197m,211o; in United States,26h,j,111u; in Uruguay,41w; international,139m; preventive,74w; primitive, 140f; progress,53q,171t,202k; psychosomatic, 15h,i,j,l,18s,19o,p,31v,61i,101v,126w,129k, 130h,138v,142c,172b,227a,256g; rural,24-1; social,23b,34p,129c; state,23m,55f
MEDULLA OBLONGATA, tuberculosis,238m
MEILIT, 13g
MELANIN,7e; pigmentation,219e
MELIOIDOSIS,26g
MEMBRANES, permeability,147d,156m
MEMORY,242-1
MENIERE, P.,64g
MENINGES, abscess,63d; degeneration,64n; hemorrhage,223m,226r; pathol.,154t; surgery,156k; tuberculosis,47r,84m; tumors,61b,76k,148i,150g
MENINGITIS,115g,254i; cpl.& seq.,66r,142n; epidemiol.& statist.,124e; etiol.& pathogen., 121s; Friedländer's,156o; in infants,48u; influenzal,35w,67j,u,214c; pneumococcic, 68h,110e,226k,s,237g; poliomyelitic,126m; therapy,50i,52e,196g,201h,218u
MENINGOCELE,159f; in pregnancy,28r
MENINGOCOCCI, infections,26u,29j,117m, 199u,--in children,31q
MENOPAUSE, cpl., 27d,139s,219q,222p; therapy,112t
MENSTRUATION, 199f; cpl.,168e,g; disorders, 106h; pain,54e
MENTAL DISEASES, 33-1,231k; classification, 59e; etiol.& pathogen.,115t,231d; in animals, 243d; therapy,60d,112d
MENTAL HYGIENE,148w,149a,169s; clinics, 242s
MENTAL TESTS, 19u,70w,164e,f,h,v,165h,i, 166j,231j,242f,243d
MERALGIA PARESTHETICA, 129c
MERCAPTANS, 95n
MERCURY, 172v; toxicity,45m,155j,196v, 217k
MESENTERY, hemorrhage,42g; infarction,42g; physiol.,69g; tumors,176m
METABOLISM, 24k,58s,69r,54s,96i,123h,147g, 181m,194g,224w,225d,h; disorders,13-1, 128e,199g; in plants,147i; regulation,180w
METACARPUS, abnorm.,216g; fractures,133e
METALS, 154w,187w,188v; eff.,65t,84d,e
METAMORPHOSIS, 70i
METATARSUS, fractures,80r
METHANAMINE, 261v

METHIONINE, 2o,95o
METHYLAMINOBUTANONE HCl,217u
METHYLAMINO ETHYL BENZYL ANILINE,30-1
METHYLAMINO PHENYL METHANE,7n
METHYLATION,98c
METHYLCHOLANTHRENE, eff.,181r
METHYLENE CYCLOPENTANONE,94d
METHYL ETHYLENE AMINE HCl,160d
METHYL PHOSPHATE,60p
MERHYL PHTHALATE,88f
METHYL RED, 10q
METHYL SULFATE, toxicity,154t
METOPON HCl,50n
METRAZOL, eff., 123d
MICE, genetics,91r; tumors,91s,v,w,92g
MICROGNATHIA, 175-1
MICROKYMATOTHERAPY, 135p
MICROMANIPULATION, 18o
MICROPROJECTORS, 64s
MICROSCOPY, 11e,89n,145s; electronic,17t,57h, 240u; fluorescent,85u,155a; phase diff.,79-1; surgical,136f
MICROSPECTROGRAPHY,154w
MICROSPHERES,182i
MIGRAINE, therapy, 124f,219t
MIGRANT WORKERS,244q
MIKULICZ' DISEASE, 237t
MILIARIA, 190u
MILITARY MEDICINE, 39i,141m,u,172s: anesthesia,2f; blood transfusion,142b, 251t; dermatol.,190v; education & training, 124i,141t; fractures,53w; gastroenterol., 15j; history,228r; in United States,55q,229e: in Great Britain,141-1,o; materiel,142j; neuropsychiatry,70s,227s; neurosurgery, 232e-w,233a-w; ophthalmol.,155p,228n, 234i; otolaryngol.,156-1; otol.,63p: phys., med.,197d: psychiatry,32j,33p,59g,60e, 73g,142g,230s; repatriation,124c; roentgenol., 75t; surg.techn.,42s,81h,116k,172m,174r, 249s; tropical med.,138c,169f; urol.,257e,f,g,j; wounds,22j,228p,q,248u,249t
MILK, 92v,167q,218a,256m; bacteriol.,104p, 262f; calcium,73d; hygiene,200n,245j; pasteurization,238c; products,166s,226k; proteins,146d
MILLIN'S OPERATION,135j
MIND, 146j
MINERALS, deficiency in animals,261k; metabolism,13p
MINES & MINERS, 27a,108d,e; hygiene,135n: in Bolivia,195g
MIOTINE,9h
MITES, 72o,101w,229n; erad.,34s
MITRAL VALVE, dis.,27t; stricture,197s
MOIST CHAMBERS, 181k
MOLECULES, 9p,u,95j,143v,147e,185d,k,o,q
MOLECULAR WEIGHTS,10w
MOLES, dis.,258s
MOLLUSCA, 72f,g
MOLYBDEN BLUE, 104m
MONONUCLEOSIS, infectious,65e,202w; lymphatics,28i
MONSTERS, 66s; arhinocephaly,1j
MOON, 168e
MOONLIGHT,57e
MORALE, 19r
MORE, Sir Thomas,238u
MORPHINE, 98a; determ.,68v; prep.,160p,q, 212a; toxicity,59g
MORPHINE-SECRETIN TEST,78s
MORPHOLIDES, 95m
MORPHOLINES, 95s
MOSQUITOES, 51j,75d,89w,90r,215m; dissection, 147-1; eradication,75g,89s,t,90n,142o,190o, 255i,k,l; transmission of dis.,254t
MOTION SICKNESS,164k,179s
MOUTH, abnorm.,157f; abscess,12g; cancer, 91e; dis.,11q,37n,186d,m,188b,189b,190b: foreign bodies,142-1; hygiene,99i,189b: mucosa,102n; photography,230h; roentg., 187t; surgery,43f; tuberculosis,100p: tumors,189d
MOUTH-GAG,235h
MOVEMENTS,148u,177v,198f,241p: disorders, 32s
MOVING PICTURES,230i
MUSIC,165w,166a,241s; psychol.,71q
MUSCLES, 84g; anat.& histol.,179j: blood supply,182i; degen.& regen.,182u; denervated, 149o; dis.,109b: echinococcosis,247p: electromyography,23s,177v,252s; fibrosis,133d: innervation,45m,60-1,137b,182u; masseter, 197a; pain,52j; physiol.,1k,70k,m,159s, 182t,u,216o; popliteal,81t; quadriceps,133d: rectus abdominis,220b; scalenus,135f; smooth,65g,p,f; striated,52p; tonus,60b, 252u; transplantation,250d; trapezius,183w; wounds & injuries,23r,69u
MUSHROOMS, pois.,123m
MUTATOCHROME,8w
MUTISM, 194k
MYASTHENIA, 28k,49d; gravis,40c,57s,108s
MYCETOMA, 103j,136s
MYCOSIS, 4g,108w; cutaneous,193v; fungoides, 102s
MYELITIS, 84m
MYIASIS, 234m,262e; in animals,88s,258g
MYLABRIS, 161d
MYOCARDITIS, 122n; allergic,138r; diagn., 21q; etiol.& pathogen.,52u; interstitial, 184u; therapy,44d
MYOPIA, 153h,218s; toxic,110g
MYOSIN, 70m
MYOSITIS, 51u; ossificans,63v
MYOTIS, 143m
MYOTONIA, 61p,131f
MYXEDEMA, 219q; cpl.& seq.,105h
MYXINOIDS, 59k
NAILS, ingrown,83p
NAPHTHALENES, 98f,143g
NASOPHARYNX, cancer,176c; irradiation,127w, 128a; tumors,201u
NATURAL SELECTION,105s,146j
NATURE,145h
NATUROPATHY,29n,245m,q
NAUSEA, 163j
NAVAL MEDICINE, 228n; blood transfusion, 142b; materiel,142j; psychiatry,142g: specialism,142c,d; urol.,257g
NECK, abnorm.,208r; cancer,28c; cysts,64b: dis.,129-1,142n; surgery,157m,174c,175w: tumors,29a,175v,214u
NECTAROMYCES,52s
NEGROES, dis.,184o; psychol.,149u
NEMATOCYSTS,4-1
NEMATODES,72j,264c
NEOSTIGMINE, eff.,179w,180h,183j; therapy, 184a toxicity,9g
NEPHELOMETRY,185e
NEPHRIN,66a
NEPHRITIS,134i; cpl.& seq.,122n; etiol.& pathogen.,27o,28h,210d; glomerular,31c, 66m,180o,238j; therapy,40u
NERVES, degen.& regen.,26c,150d,159s,217m; motor,163m,182s; nuclei,59-1; optic,153c, 155i; peripheral,112u,115c,123s,148t,176b, 197d,207w,232h,j,252g; phrenic,207h: presacral, 257m; radial,62u,232m,o; recurrent,63u: roots,76k,148j; sciatic,50b,150d,177u;

sensory,60h,241u; spinal,60m; splanchnic, 128d; transplantation,148t; trochlear,62d; vagus,30s,66a,69v,109s,140b,d,e,174t, 181w,206f,217q; vestibular,68m,179n, 227-1
NERVOUS SYSTEM, anat.& histol.,32s,u,54k, 59k,l,60o,232j; dis.,19e,54n,61p,127a,148s, 202n,224i; eff.drugs,61h,68q,160c; embryol., 4n,62d; metabolism,181d,216s; pathol.,89j, 199s; physiol.,60e,j,l.m,o,p,65j,n,68n,71w, 72b,144q,148q,159s,163i,m,177u,179u,180d, u, 182s,t; 216s,248p,262c; surgery,214v,232e,h; tumors,61b
NERVOUS SYSTEM, SYMPATHETIC,68-1,156g, 210m,260m; anat.& histol.,32u,59m; blocking, 2c,140t,225n; dis.,50r; eff.drugs,49d;60k,114-1; physiol.,32t,65j,81e,182k; tumors,65c
NEURALGIA, brachial,167k; causalgia,55h, 111w,138c,197k,215-1; facial,111w; trigeminal, 42k,60u,118b,248n
NEURASTHENIA, experimental,60d
NEURITIS, acoustic,63r; caudal,59f; diabetic, 22j; etiol.& pathogen.,27r,54n,248j; nultiple, 122o,227k; muscular,137b; musculocutaneous, 52w; optic,152v,155u,255r; traumatic,248g
NEURODERMATITIS,102m
NEUROGLIA,59m
NEUROLOGY,19e,40d,65j; institutes,125n
NEURONS,199s,217m; pathol.,89j
NEUROPSYCHIATRY, in general practice,54w; progress,227s
NEUROSES & PSYCHONEUROSES,73h,150k, 203q; anxiety,34t,39q,243c; cardiovascular, 194c; diagn.,127a; etiol.& pathogen.,60d, 187f,231e,s,t,232a; experimental,150e; gastrointestinal,15j; in armed forces personnel,59g,q,70s,v,73d; in veterans,120d; industrial & traumatic,30n; therapeutic, 71a; therapy,149k
NEUROSYPHILIS,39b,42m,49a; cpl.& seq.,150t; diagn.,40i,87k; therapy,21a,41f,196e
NEUTRONS, 76d
NEVI, 51s,102r,152q; pigmented,49i,j,220m
NEWCASTLE DISEASE,88r,262u; virus,45w, 262u
NEWSPAPERS, 193e
NICKLE, Raney,97b
NICOTINE, eff.,51-1,65j
NICOTINIC ACID, 2p,7p,69o,132g,k,261d; determ.,204t; eff.,94v,217k; tolerance tests, 112d
NIGHT BLINDNESS,110f
NIGHT-TERRORS, 125h
NIKETHAMIDE,123d
NIQUIDINE, 9k
NITRITES, sodium,169c
NITRO COMPOUNDS, 94p
NITRO ALCOHOLS, 94r
NITRO AZOBENZOL, 93j
NITROBENZENE, 65s
NITROFLUORENONES, 95u
NITROGEN, determ.,104o; metabolism,6o, 21c,58q,70f,109i,--in plants,143s
NITROGEN, oxide,144i
NITROPHENOL, 65q; eff.,183o,179t,181m
NITROTOLYLHYDROXYLAMIN,65r
NODES, juxta-articular,204v
NODULARIA, 88s
NOISE, 63p
NOMENCLATURE, 40w,49w,56s,133r,239c, 264-1,m,n
NORMALITY,23c
NOSE, allergy,50v; choanal atresia,63k; cysts,63t,100u; discharge,173i,232t; diseases,63g; fractures,129e,213c; hemorrhage,48v,63m,132h,136a,204h; implants,64e; medication,156m; mucosa, 16p,63f; physiol.,16n,227s,241u; surgery, 40o,63-1,235h; syphilis,121v; tumors,63w, 156s
NOSE-DROPS,63f
NOTOEDRES, 88f
NOVALIS, 36-1
NUCLEINS, 8t,56f,92m,97r
NUCLEOPROTEINS, 144g
NUCLEOSIDES, 97s
NUCLEOTIDES,8a,96t
NUPERCAINE, eff.,68n
NURSES & NURSING, 107-1,194q,238p; educ., 151-1,m; public health,73v,74g
NUTRIA, 258q
NUTRITION, 6s,14m,46p,58v,67p,69o,73b, 74w,112-1,121g,134t,185j,189b,245r; dis.,23q,56p,62n,67t,114f,123o,p,124n, 181p,--in animals,260w,217r; in China, 159k; in Dutch East Indies,13s; in Egypt, 254o; in Gold Coast,255q; in Honduras, 136q; in Great Britain,35m,123w,223a; in India,117o; in Mexico,43o; in Spain, 75e; in Switzerland,55v,114o,132d; in Tasmania,35b; in Western Holland,104c; parenteral,82o; research,229j; specific dynamics, 224w,225h; status appraisal,166p; synthetic rations,216m
NUTS, 146f
NYSTAGMUS, 148n,o
OBESITY, 104s; cpl., 211-1; etiol.& pathogen., 32d; therapy, 27a,209b,210o
OBSTETRICS, 54v,121f,192j; psychiatry,212d; veterinary,259v,262i
OBTURATORS, 175n
OCCUPATIONAL THERAPY, 252w; in Great Britain,204c
ODORS, allergy,177j
OENOTHERA, genetics,105u,106c
OIL, 91w,185p,230c; bacteriol.,3i; bergamot, 12o; chemistry,97h; clove,99i; essential, 93s; linseed,13g; liver oils,229s; volatile, 162f
OINTMENTS, 102g,160i,n,234w,239n
OLD AGE, 14m,20v,37q,70r,75-1, 128u,146j, 198h,218m,245o; care,124u; dis.,110q; physical signs,25d; welfare,30g
OMENTUM, dis.,208j; torsion,172n,208s; transplantation,250b
ONCHOCERCIASIS, therapy, 212u
ONCOMELANIA,72f,g
OPEN AIR COLONIES, 67b
OPHTHALMIA, allergic,152o; solar,35h; sympathetic,16o,154t; therapy,29k
OPHTHALMOLOGY,155p,w,234g; pediatric, 32d,234o
OPTIC CHIASM, tumors,220-1
OPTICS, 155e
ORBIT, abscess,153i; surgery,152m,156a; tumors,62j,153b;
ORGANS, pharmacol.,160k; transplantation, 131g; weights,183p
ORIENTATION, 60n
ORNITHODORUS, 171k
ORPHANS, 67a
ORTHOPEDICS,52h,80a; clinics,131t
ORTHOPTICS, 153d,172c
OSCILLOMETRY, 85g
OSMIUM, 89k
OSMOSIS, 69g
OSSEIN, 82o
OSSIFICATION, 48d,49p,76s,80q
OSTEITIS DEFORMANS, 156r
OSTEITIS, fibrosa,80f,81p,136d

OSTEOARTHROPATHY, hypertrophic pulmonary, 226j
OSTEOCHONDRITIS, 43v,81r,236n: dissecans, 219b
OSTEOMALACIA, 133h,141g,218j
OSTEOMYELITIS,82f; etiol.& pathogen.,251j: therapy,23k,200t,201h,210w,218v,226a,226t
OSTEOSCLEROSIS,64u; etiol.& pathogen.,140g
OT, 147-1
OTITIS, 63h; therapy,36o,234w
OTITIS MEDIA, cpl.& seq.,156o,235q; diagn., 210i; experimental,18-1; in animals,262w; in children,209d; therapy,173v,201q,234v
OTOLARYNGOLOGY,63w,250u; in Philippines, 156-1; teaching, 63f
OTORHINOLARYNGOLOGY,226a; relation to dentistry,101b
OTOSCLEROSIS, 22b; therapy,64e,116m,136e,f,g, 201o,235b,c
OVARY, cancer,83r,176o; cysts,200j,221d; excision,39g,113s; hormones,15w,163e; insufficiency,52q; physiol.,46i,177p,s, 181v; tumors,105e,139s,172q,192o,224a
OVOTESTIS,177s
OVULATION,69p
OVUM, 56t,70i,90m; chem.,180-1; cult.,1f
OXALACETATE carboxylase,97j
OXANILIDE, 98i
OXIDASE,7e,92j
OXIDASE TEST,147j
OXIDATION & REDUCTION,3g,10q,93w, 96i,182m
OXIGRAM, 217g
OXYGEN, 69d,k,144s; active,57p; chem., 180e; consumption,56o,69w,70d,e,179k, 180p,181d,l,183f,217g,239n,264u; deficiency, 40f,114q,231e; therapy,215-1,r; toxicity, 66h
OYURIASIS,51d
OXYURIASIS, 51d; therapy, 168i
OZONE, 51c
PAEONIA, 172c
PAEZ DE RIBERA,210k
PAIN,130t,138c,150a; etiol.& pathogen.,60b; in dentistry,11m; referred,253-1; therapy,198b
PALADON,187u
PALAPONT,101n
PALATE, cleft,175i,n,228o; surgery,99u,251n
PALLOR, 213k
PANCREAS, calculi,48k; cancer,158d,176j, 197w,211v,--in dogs,263h; cysts,47b,65g, 140h; enzymes,in infants & children,67s,t; extract,239o,p,q,r; necrosis,236d; physiol., 216q; secretion,14f; surgery,33i,54c; tuberculosis,184g; tumors,123m,124r
PANCREATITIS,47g; etiol.& pathogen.,79b; roentg.,75v
PANNICULITIS, 85b,158g
PAPAIN,64-1,70i
PAPAVERIN, eff.,65p
PAPAYA, 161h
PARACELSUS, 20f
PARALYSIS, brachial,116s,201m; bulbar,49d; cerebral,70u,151p,157b,i,253t; etiol.& pathogen.,63u; facial,100p,116s; in animals, 258k; interosseus,135u; lumbosacral,222r; monoplegia,20v; radial,82u; spastic,232f, 253u; spinal,86n,134g,250o,257d; therapy, 233c
PARALYSIS, GENERAL, therapy, 30i,124i
PARAPSORIASIS, 49f
PARASITES, 140f; external,56n; in animals, 262q
PARASITOLOGY, 139n
PARATHYROID, hyper-,35e,81p,105h; physiol.,7u; tumors,80f,175u
PARATYPHOID, cpl.& seq.,27-1; in animals, 258p
PAREDRINE, 156v
PARENTHOOD, psychol.,165t,w
PARKINSONISM, 211k
PARONYCHIA, 168o
PAROTID DUCT, 201n; surgery, 83j; wounds & injuries,83j
PAROTID GLAND, tumors, 175v
PAROTITIS, cpl.& seq.,152f,159a
PARPANIT, 32s,131p,q,241e,254e
PASTEUR, 134s
PASTRY, poisoning,240e
PASTURES, 264c
PATELLA, dis.,173s; fractures,126u,226w; necrosis,78r
PATHOLOGY,139n,o,197-1
PATHOTHERAPY, 36-1
PECTASES,8c,92p
PECTIN,185g
PECTIN-METHYLESTERASE,92p
PEDIATRICS,128f; in Brazil,66w; in general practice,54u; surgery,210c,214o
PEDICULI, blood-feed,45o; delousing,72-1; erad.,90m; transmission of disease,45p
PELOMYXA, 178s
PELVIS, abnorm.,79w; cancer,50k; classification, 78a; contraction,25c; dis.,211f,m,257a; measurement,76g,106-1; pain,174a; physiol., 163e,183j; surgery,79q; wounds & injuries, 49m; tumors,81s
PEMPHIGUS, 102t; familial benign chronic, 103g; erythematous,102u; foliaceus,102i; syphilitic,110j
PENICILLIN, 57b,208o; admin.,20j,k,26w,35j, 37f,t,58j,110s,137g,196f,203p,216o,235p, 252t; chem.,159o; determ.,8d; dosage,67o; eff.,2t,3g,k,l,18i,49p,54-1,57t,86v,99j, 168q,183e,216w,220u,223q,225u,227u,249r; F, 2t; G, 2t,87e; K, 2t; metabolism,69m, 200b; prep.,87a,144m,156v,167n,210s, 223w,240h,260r; production,2q,161v; therapy,63-1,126a,137s,201h,205f,218u,v,w, 225w,--in dentistry,99j,n,101k,187j; --in dermatol.,102a; ---in diseases of the chest,138-1;--in experimental surgery,83k; ---in gynecol.& obstetrics,221v;---in ophthalmol.,26w,29k,153i,q,220k,226b; ---in otorhinolaryngol.,49m,234u,v---- in pediatrics,55k;---in surgery,131h, 138o,215e,225v;---in tropical medicine, 204p,---in venereal dis.,210r;--- in veterinary med.,258j,259i; toxicity,37c, 50i,110c,112e,f,127p,131r,132c,153j,167p, 174m,211n,235f; X, 2t, 87e
PENICILLIUM, 18o; spores,260r
PENIS, cancer,176q; development,105-1; dis.,53h,110m,176q; paralysis of horses, 260h; ulcer,22t
PENNOTIN, 260r
PENTAQUINE, 45v
PEPSIN, 14p,70i,92m; uro-,14o
PEPSINOGEN, 15e
PEPTIC ULCER, 14j,53v,128w,225-1,245-1,n; clin.asp.,18w; cpl.& seq.,40n,75s; etiol.& pathogen.,14p,122v,126g,182j,208k,225e; experimental,14p; hemorrhage,130g,132-1; perforation,27v,34w,44-1,127i,172m,247r, 220m,250b,d,252k; roentg.,220w; surg. ther.,30s,79u,82k,174c,f,t; therapy,14i,q, 16k,115-1,118j,121a,122m,133b,140b,d,e, 168v,197p,206f,225k
PEPTIDASES, 239r
PEPTIDES, 96s; chem.,10d

PERCEPTION, 71h,i,72b,145i,166i,241r,242w: extrasensory,166d,f
PERCUSSION, hepatic,15d
PERIARTERITIS nodosa,116m,128-1,153a,v, 206s
PERICARDITIS, cpl. & seq.,76p; diagn.,130d: suppurative,27u
PERICARDIUM, calcification,137i; diverticula, 76p; hemorrhage,184p; tuberculosis,142-1; tumors,184v,191i
PERICORONITIS, 99n
PERINEPHRITIS, experimental,45g
PERINEUM, lacerations, 192-1; surgery,135s
PERIODICALS, 146a
PERIODONTIUM, 99m
PERISTON, 123c
PERITONEOSCOPY, 14k
PERITONEUM, tuberculosis,137d,200u
PERITONITIS, chronic fibrous,47f: etiol.& pathogen.,224a
PERSONALITY, 52f,70r,136c,149p,163v, 166f,180c,242i; adjustment,157e; changes, 59p,150-1,150u; disorders,59r; psychopathic, 59u,71c,73g,231n,238d; tests,70w,165i, 231g,i,241r,242m; types,32j
PESSARIES, 147s
PESTS, 90b,162k
PETROLATUM, 217p
PETROMYZON, 59k,l
PHARMACOLOGY, hist.,65j
PHARMACY, 147q,161e,162c,g,239c,u,241c,h,k, 253i; educ.,162d: history,36q,161g: in Sweden, 161g: in Germany,162e,n: in Italy,239h: in France,240r: in Italy,241a: in Czechoslovakia, 241b; military,238t: progress,240b: teaching, 239j; veterinary,260e
PHARYNX, cancer,227t; diverticula,209i: tumors,28c
PHENANTHRENE,98n,o
PHENANTHRIDINIUM,263t
PHENOL,85a,169i; eff.,45h; toxicity,90f
PHENOLS, 85a,169a; eff.,122o
PHENOTHIAZINE,147q
PHENYLALANINE,7e,k,66c,96q
PHENYL BUTANONE HCl, 217u
PHENYLHYDRAZINE. chem.,10q
PHENYLPOLYENES, 98e
PHILOSOPHY, 145h,242w
PHLEBITIS, cpl., 83g; hepatic,66q: therapy, 83g
PHLEBOTOMUS, 255o
PHOBIAS, 231p
PHORIAS, 62e
PHOSGENE, toxicity,21e
PHOSPHATASE, 8r,100f,236i; acid,177u: alkaline,69t,177r,229n
PHOSPHATES, determ.,7g
PHOSPHOPYRIDINE COMPOUNDS, 8a
PHOSPHORESCENCE, 58f
PHOSPHORUS, deficiency,189f: determ.,104m: in diet,218a; metabolism,7o,s,u,69n,92k,l, 96i,106n,122k,163d,179m,181a,216s
PHOSPHORYLASE,8j,l,147k
PHOTOGRAPHY, 61d,133v,188q,230h,262n
PHOTOMETRY, 8b,182o
PHOTOSYNTHESIS, 145q,147i
PHRYNODERMA, 117i
PHTHALOYL BENZENE,93v
PHYCOMYCES, 13n
PHYSICAL EDUCATION & TRAINING, 142h, 169v,170a
PHYSICAL EFFICIENCY,46p,46s
PHYSICAL EXAMINATION,20e,139o
PHYSICAL MEDICINE, 37c,84d,f,g,127a,181o, 197d,252r,w,253v; in Great Britain,252s; in psychiatry,112d; in Switzerland,138u, 183v; indications,233j; progress,55r
PHYSICIANS, 26j,200q; as architects,47p: general practitioners,22-1,107m,141d: interrelations,139m; relation to patient, 118a; responsibilities,24n; secretaries, 194w; women,204b,212g
PHYSICS, nuclear,91c
PHYSIOLOGY,136b,180j,197-1; apparatus, 217d; of secretion,70o
PHYSOSTIGMINE, 60p: eff.,163i
PICKLES, 169c
PICROTOXIN, 253i
PIGMENTATION, 192c; disordered,102j: in animals,264w
PILOCARPINE, eff.,181f
PILONIDAL SINUS,61a
PINTA, 170u
PIRIFORM SINUS, cancer,28c
PIROPLASMOSIS, 17d; of horses,259m
PITUITARY,101s,123j, dis.,41u,131f: insufficiency,30b,32d; metab.,181q; necrosis,106w; physiol.,7t,45r,46a,g, 51q,66p,85f,97f,106n,107s,123a,h,150o,152g, 163f,180r,t,191g,205j,238w; tumors,176a, 234h
PITYRIASIS, 102u: rubra pilaris,102n,103c
PLACENTA, 1h,192i: abnorm.,50s: adherent, 107a: disseminata in animals,258v: physiol.,30e: previa,209e: tubercle bacilli, 237v; vitamines,13q; wounds & injuries,30m
PLAGUE, 219a; epidemiol.& statist.,74q: history, 113n; therapy,30a; transmission,203g
PLANTS, dis.,4e,105v; pathol.,140-1; physiol., 143s
PLASTEIN, 70i,l
PLASTIC MICROSPHERES,182i
PLAY, therapy,151p
PLESIANTHROPUS, 56s,57o
PLETHODONTS,177p
PLEURA, 85k,252d; cancer,113d: surgery,208i; tuberculosis,49c,112v,220f
PLEURISY, 41o: hemorrhagic,215c: therapy, 197e; with effusion,22s,112h
PNEUMOCOCCI, 245e; immunity,110q; infections,3k
PNEUMOCONIOSIS, 19b,33j,54b,78e,195g: byssinosis, 108f; diagn.,49q; prev.& control,108d,e; roentg., 175c
PNEUMOENCEPHALITIS, avian,262u
PNEUMONIA, immunity,110q; in animals,263e; in children,125s,126a; pathol.,126b; therapy, 20k,38c; virus,36u,119k,132-1,134q
PNEUMOPERICARDIUM,66o
PNEUMOPERITONEUM, 15d,173d
PNEUMOTHORAX, 40h,42f; clicking,30a: therapy,24t
PODOPHYLLIN, eff.,58e: therapy,157w
POIKILODERMA, 102k
POISONS & POISONING, 9f,g,h,222g,239a: in animals,88s,t
POLARITY,194f
POLARIZATION,57i
POLAROGRAPHY,180e
POLIOMYELITIS, 29p,84g,127t,135j,139j ;207g, 245f; bulbar,134e,203n; cpl.& seq.,31r,81g, 126m,131d,237-1; convalescence,80a,b : diagn.,37b; epidemiol.& statist.,147f,203m, 211u,228i,245a; experimental,3h: immunity, 72p,q,r; in otolaryngology,63o: meningitis, 134e; nursing care,151c,d,e; pathol.,28v, 148g; pregnancy,16c; prev.& control,107e, 245b; research,80b; therapy,90a,b,84g, 107-1,151d,236s,v,238b,253s; virus,72p, 119f,223m

POLLEN, 177i
POLYDACTYLY, 192c
POPULATION, 105s,144e
PORCELAIN WORKERS,78e
PORPHYRIN, 97k
POSITION SENSE, 60m
POSTURE, 6k, 68r,82m,182t,196m
POTASSIUM, 17o; chloride,45m; deficiency, 180m; determ.,8b; lactate,20o; metabolism, 70j
POTATOES, dis.,90-1,144c
POVERTY,55f
POZZI,133-1
PRECIPITATION, 10-1
PREGNANCY, blood pressure,196j; care, 106h; cpl.,15w,16b,c,35v,83s,106g,127n,128d, 139g,202n,207b,211m,222f; diagn.,16d,53d, 105h,171m; diet,32a,75e,205c; ectopic,15t, 48v,106m,113k,125m,132j,193r,198j; edema,54i; heart,6a,28n,225j; hygiene, 238p; kidneys,40k; liver,43p; metabolism, 13q; nutrition,106u; physiol.,197j; roentg., 77f; toxemia, 83u,196i,j,252j; wounds & injuries,30m
PRESCRIPTIONS,112q,118f,239u,241h,k
PRESSURE CHAMBERS,21j
PRIMATES,56s,57o
PRISONS & PRISONERS,169b,191m,o,p
PROBABILITY,243a
PROCAINE,48s; eff.,68n,215e; therapy, 221a,223w
PROPHECY,224o
PROPYLENE GLYCOL,12k,157q
PROSTATE, anat.& histol.,89i; cancer,51,j, 48d,86m,127g,u,141e,257i; dis.,26f,131b, 134w; infarction,86-1; infl.,39w,142f; hypertrophy,86-1,258a; physiol.,22u; roentg.,257c; tumors,91h,223-1
PROSTATECTOMY, perineal,257h,258b; technic,124k,135k
PROSTHESES,81a,235d,249b,250j
PROTAMINASE, 97c
PROTEINASE,119k
PROTEASES,123u
PROTEINS, chem.,6p,q,10f,g,17o,p,95i, 143h; deficiency,25v,83n,115u,167w,219w; determ.,6r; hydrolysates,6t,58v,82o,109i, 121a,202u,222q; in diet,49t,91m,103p, 104d,f,216-1,218a; metabolism,7c,8p, 91k,163f; therapy,127-1,252k
PROTHROMBIN, 41g,97j,217a
PROTOPLASM, 56d,179a
PROTOZOA, 4o,89k,144d,178d,l,o,229r; cult.,33h; death,179b; infections,20w; virulence,4f
PRURITUS anal,112f
PSEUDARTHROSIS, therapy, 247i,j,m,n
PSORIASIS, 133j; therapy, 135i,214n
PSYCHIATRY, 33k,l,142g,203w; classification, 59e; clinics,242s; in gynecol.& obstetrics, 39c,212d; history,242k; in France,33p; in general practice,31i; in Germany,33m; in New Zealand,38g; pediatric,61u,w, 231m; public health,73d; research,163r; teaching,59h,242r
PSYCHIC PHENOMENA, 242d
PSYCHOANALYSIS, 149i,231w,232a,242k; in children,231u
PSYCHOLOGY,71h,s,w,163v,164r,165m, 229k,242w,243f; clinical,70t,107-1,163q, 163r,242a; comparative,71g,m,243d; industrial,164d,e; methods,71r,s; military, 59t,u,60e,164k,l; of numbers,149k; of stage-fright,243f; of substitute activity,241p; of Marshall Islanders,149h; of types,32j; self-inventory,71b; social,33k,l,m,p, 59o,62a,71w,164b,241s,v,242o; teaching, 242p
PSYCHOTHERAPY,33o,59e,61g,70s,t,71a, 110d,126w,149a,165c,d,e,226h,231-1, 243e,243u
PSYLLA,144p
PTERYGIUM, colli,208r
PUBERTY,201u; precocious,105j
PUBLIC HEALTH,125d,136n,170f,243-1, 244d; history,113t,238u; in Alaska,243j; in China,159k; in Dominican Republic, 72u; in Germany,168j,169j; in Great Britain,35m; in India,194p,202t,212e; in New York State,129p; in Russia,197m; in Switzerland,48-1; international,29t; private agencies,74b
PUCCINIA, 229p
PUERPERIUM, 211b; care,111b; cpl.,227h; hemorrhage,106w,214f
PULMONARY VALVE, stricture,147a,174v
PULSE, 23-1,69h; femoral,179f; in animals, 258h; rate,69d,143p
PUMPS, 217d,250k
PUPILS, dilatation,9d,262c
PUPILLOSCOPY, 29n
PURINES, 8t,21c,97s
PURPURA, 67m; etiol.& pathogen.,205k, 226-1; hemorrhagica,140i,197u,199o, 205-1,250r; Schoenlein-Henoch,49p, 67v
PUS, 236p
PYELITIS, in children,211s
PYELO-ADRENO-NEURAL SYNDROME,53s, 222q
PYELOGRAPHY, 137m
PYELOSCOPY, 78g,126i
PYLORUS, hypertrophy,36k,40n,48h,52o, 67e,137k,216h,237k
PYODERMA, 102q; therapy,102a
PYOMETRA in dogs,263t
PYOMYOSITIS, 254m
PYORRHEA ALVEOLARIS, 101d,189d; blood, 189a; cpl. & seq.,188-1; etiol.& pathogen., 189n,t,190-1; therapy,101r,187h,j
PYRAMINE,7d
PYRAZINE, 97t
PYRIBENZAMINE, 26o 217o; toxicity,203r
PYRIDAZINE, 9n
PYRIDINE COMPOUNDS, 8a,96t; chem.,9a; eff.,216-1
PYRIDOXINE, 42w,69o; deficiency,7p,182n
PYRIMIDINES,98p
PYRETOCATECHOL,144k
PYROGENS, 181u,240w
PYRUVATES,92b,c,93d,96c
QUACKERY, 117t,138g,263-1
QUINACRINE, 57d; determ.,254w; toxicity, 26n,231q
QUINAZOLINES, 98k
QUINIDINES, 27h
QUININE, eff., 45v; pharmacol.,241j; sulfate, 20u; toxicity,204w
QUINOLEINES, 56b
QUINOLINE METHANOL,95q
QUINOLINES, 94m,v,95t,96a,98n,q
QUINONES, 143d,145o; toxicity,156e
QUINTUPLETS, 171u
RABBIT PAPILLOMA virus,45u
RABBITS, dis.,45s,88f
RABIES, blood sugar,255d; immunity,171i; prev.& control,167b; public health,151g; therapy,74u; vaccine,74q; virus,119f, 145a
RABIN RATIO,165i

RACES, 125u,149h,168u
RADAR,135p
RADIATIONS, 135o,243n; chem.,10r; counting, 76e; eff.,14i,15-1,76n,s,77i,122c,123e, 135p,179g,205p,221m; in ophthalmol., 32k; injurious effects,12o,63s,120b
RADIOACTIVITY,7h,o,u,21b,c,24k,38w, 43m,54s,56n,57b,68r,77h,96k,106n,115r, 122c,123f,g,k,131k,137v,147b,204i
RADIO,72w
RADIOAUTOGRAPHY,1g,65a
RADIOLOGY,228d; economics,107i; history, 246q; in Latin America,77w
RADIOTHERAPY, 56n,63h; experimental,114n in surgery,48m; dosage,76a
RADIUM, injur.eff.,63s,257a; therapy, 106q, 127w
RADIUS, abscess,209h; fractures,55f,126e
RADON, 76e; metabolism,77v
RAGWEED, 218g
RAIN-WATER,17o,57q
RANEY NICKEL,97b
RANULA, 43f
RATIONS, 73b,260w; synthetic,216m
RATS, 180w; erad.,166r,239a; lab.prep., 45u,180j; psychol.,164s
RAYNAUD'S DISEASE,204w
READING, 165d,q,242g,h
REAGINS, 177k,218g
RECEPTORS, 181a
RECORDS, 58-1; medical,174j
RECREATION, 151g
RECTUM, absence,213t; cancer,26v,39m, 55b,c,135s,139g,176m,208u, 247g dis.,29q,208m; exam.,198e; hem.,127m; stricture,39n; surgery,104v,139g; tumors, 91e,176n
RED CROSS, 151k,228u,v,229c
REDOXON,254g
REFLEX, circulatory,115h; conditioned,164u, 60k,165p,179i,181b,c; cutaneocervical,60b; cutaneous,60m; dis.,131c; Grünfelder-Rotte, 210i; intestinal,163j; pupillary,163h; spinal, 60m; stretch,60m,123s; vascular,248r
REFRACTION,207d
REHABILITATION,19t,u,w,27h,29n,35e,q, 84d,q,131g,136b,215q
REITER'S DISEASE,129g
REJUVENATION,198g
RELAPSING FEVER,121u,255c; epidemiol. & statist.,64n,245e; pathol.,31j
RELAXATION,181a,253o,257t
RELIGION, 256g
RENIN, 146r
REPATRIATION, 124c
REPRODUCTION,71j,104g,257m
REPTILES,234q
RESEARCH, 16g,145h,i,145w,163r; financial support,146k; international cooperation,58e; methods,164n
RESEARCH, MEDICAL, 125d,163q; Life Insurance Med.Res.Fund,19n; patient-use,194u
RESECTORS, 138u
RESINS, 1-1,52h,182e; acrylic,57h,64e,144-1; toxicity,137p
RESPIRATION,2e,4-1,68-1,69d,84n,143i; adequate,55j,227s; artificial,82n; center, 66a; chem.,56o; disorders,38k,44r,82m, 123d,183i; eff.drugs,65m; hyperpnea,66h, 182g; oxigraphy,217g; physiol.,115a,122w, 183d
RESPIRATORS, 84v,107b,151u,236v
RESPIRATORY TRACT, dis.,67j,110m,113b, 129a,151s,u,157q,203p,204v; eff.drugs, 97n; mucosa,113f; photography,133v; physiol.,179r
RESUSCITATION,47h,82n,109p,126m,209a
RETENES,98j
RETICULOENDOTHELIAL SYSTEM, 85c,205v; dis.,33e,159f; pathol.,184d
RETINA, 234j; blood supply,22c,62i,154b,e, 155s,; detachment,16n,55-1; exam.,233e, 234k; metab.,180i; pathol.,32v,152k; photography, in animals,262n; physiol., 153r,241s; tumors,152n
RETINENE,144j
RETINITIS, etiol.& pathogen.,154g; pigmentosa, 152d
RETINOMETRY,234k
RHEUMATIC FEVER,31h,35s,38p,q,67g,113g, 134c,237j; cardiac,4t,31p,38b,q,68b,198e, 201w,217s; cpl.& seq.,26n,116v; diagn., 38r; experimental,217s; notification,66v; prev.& control,38s; public health asp.,109a,b; recurrence,236s; therapy,31p,38s,68b,107i
RHEUMATISM, 113g,183s,t,v,253-1,n; classification,4u; cpl. & seq.,116v; epidemic,183w; etiol.& pathogen.,136h; in infants & children, 68b; psychogenic,197s; therapy,4t,131s, 134b,200e,252r
RHINITIS, atrophic,22a,64e; etiol.& pathogen., 50r; therapy,156v; vasomotor,50v,211m
RHINOSCLEROMA, 103i,156q
RHUS toxicodendron,12m,177h
RIBOFLAVIN, 13q,46p,62k,94v,180-1; deficiency, 106u
RIBS, 112c; dis.,82-1
RICE, therapy,216r
RICIN, 8a
RICKETS, etiol.& pathogen.,92-1; epidemiol. & statist.,219i; therapy,238k
RICKETTSIA akari, 74o; prowazeki,45p
RICKETTSIAL DISEASES,23f; transmission, 21-1,45p
RICKETTSIALPOX,23c,74o,166u
RIFT VALLEY FEVER, virus,44u
RIGIDITY, cogwheel,148m
RINDERPEST,259e
RINGWORM,102-1,109o,113a,203a,244h
RINSES,147r
RIVER-WATER,57q
ROCK-WORKERS,108d
ROCKY MOUNTAIN SPOTTED FEVER, epidem. & statist,130g; in children,31t; prev.& control, 206g
RODENTICIDES,239a
RODENTS, erad.,123v; parasites,178h
ROENTGEN RAYS, 57c,115b; apparatus,246a,d; chem.,9u; diagn.,76b,246c,v; eff.,76n,144e, 145s,191j,245v; filters,77f; injur.eff.,44f, 257a; physics,246s
ROENTGENOGRAMS,16t,131n,246u
ROENTGENOTHERAPY,77i,78d,227e; apparatus, 246a
RORSCHACH TEST,231h,i
ROTENONE,90k,104j
ROWE'S METHOD, 209f
RUBBER, 56a,185h
RUBELLA, 214q; cpl.,42f; maternal,131e,
SABRAZES-DUCLION DISEASE,27s
SACCHARIDES, 8-1,110q,160q; eff.,140k
SACCHAROSE, 17r
SACCO TECHNIC, 215q
SACRUM, abnorm.,79w
SALICYL COMPOUNDS, allergy,21n
SALIVA, enzymes,100f; therapy,167n
SALIVARY GLANDS, tumors,156r
SALMINE SULFATE,97c
SALMONELLA, 3h,93a; antiserum,237b; cult.,18d; enteritidis,117f,123v; florida,

3e; hvittingfoss,212r; infections,201t; paratyphi,18m; texas,74s
SANALEPSI russi,132q
SANTONIN, 147q
SAPONINS, 160r; determ.,160m
SARCOIDOSIS, 102o
SARCOMA, 91e,152h,176o,184v,198j,219p, 220m; endometrial,37j; fibro-,14w, 185v,157v; fibrolipo-,48j; in animals, 261f; Kaposi's,157u; lympho-,49r,28e, 29e,158b; melano-,5g; metab.,197i; myxo-,184e; osteo-,117k,226u; transplantation, 91v
SARCOPSYLLA, 52w
SCABIES, cattle, 88q
SCALP, dis.,12p
SCAPHOID BONE, CARPAL, 227e; fractures, 216g
SCAPHOID BONE, TARSAL, 81c
SCAPHOCEPHALY, 199t
SCAPULA, 134v
SCARLET FEVER, etiol.& pathogen.,117a; immunity,158k
SCHALES-SCHALES METHOD,8s
SCHISTOSOMA, 264-1,m; cercaria,72i,178n
SCHISTOSOMIASIS,204m,q; epidemiol.& statist., 222w; prev.& control,72f,g,i; therapy, 204u; transmission,204-1
SCHOOLS, dental serv.,189m,u,190o,p; med. serv.,72u,159k,238g,243q,r,244r,
SCHOOLS, MEDICAL, 244d; Geneva,32h
SCHUELLER-CHRISTIAN SYNDROME, 78g
SCIATICA, 129c,200k,212s; diagn.,49v; etiol.& pathogen.,43f,81j,232-1; therapy, 80v,210e,211b,c
SCIENCE, 145h,185j,224o
SCLERA, necrosis,153a,v
SCLERODERMA, 102k; circumscribed,102r
SCLEROMA, 217j
SCLEROSING SOLUTIONS, allergy,214p
SCLEROSIS, amyotrophic lateral,60s; disseminated,115k,227-1; pluriglandular, 25n; tuberous,42u
SCREW-DRIVERS,81u
SCREW-WORMS,88s
SCURVY,39j,70a,138s; cpl. & seq.,237-1; surg.asp.,207c
SEASICKNESS,164k
SEASONS, 30o
SEBORRHEA,67t,102r
SECRETION, 70o
SECRETIN,92w; test,78s
SEEDS,93a; chem.,58r; germination,144m; vernalization,145b
SELENOPHOMA, 178f
SELLA TURCICA, 123j
SEMEN, 56u
SEMINAL VESICLES, 44h,39w
SENSATION,241t,242w; dis.,60h,184t,253o
SENSES, 142w
SEPTICEMIA, 83g,199u,248p; cpl.& seq.,, 226i; etiol.& pathogen.,158c; in infants & children,43m; therapy,118b; tuberculous, 256p
SERINE, metab.,7f; toxicity,236i,j
SEREMPION, 67h,68e; immunity,67-1
SERODIAGNOSIS, 87k,139o, 221o,260k
SEROSITIS, 25o,27k,40a,41o
SEROTHERAPY & HEMOTHERAPY, 137v; pediatric,31r
SEROUS CAVITIES, 122a; calcification, 201k
SEROUS MEMBRANES, tuberculosis,27k
SERUM, 115i,255v; immune,17a,67h,l, 107q,119k
SESAMOID BONE, fractures,75w
SEWAGE, 74j,169i,170g
SEX, 73h,232b; diff.,57a,104s; perversions, 35o,149-1; physiol.,180r
SHEEP, dis.,258g,261m,262q
SHELLFISH,57-1
SHEVKUNENKO, V.N.,251e
SHIPWRECK, 57d
SHLAPOBERSKY-GLEZER'S METHOD,248-1
SHOCK, 38m,69w,79m; blood circ.,68r; blood volume,216u; cpl.,206-1,26k; etiol. & pathogen.,180k; experimental,83m; heart,5u; metabolism,46a,69n,123u; obstetrical,136j; pulse,179f; therapy,23r,118o,134u,180k, 181e,o
SHOPLIFTING,149-1
SHOULDER, arthritis,134c; dislocations,142e, 215q,252f; surgery,232m
SIDEROSIS, bulbi,153h
SIGMOID, surgery,26v
SIGMOIDOSCOPE,129b
SILBERSTEIN,155e
SILICA,57h
SILICATES,101p,188c
SILICON, 143t; organic cpds.,142w
SILK,185q; hydrolysates,146m
SILVER, determ.,169-1; pharmacol.,147v
SIMILES TEST,70w
SINUSES, NASAL, allergy,50v,109f,156n; cancer,235o; dis.,54f,63e,99r,156v,201p, 234u,v,--in infants & children,202o; hemorrhage,136a; medication,235p; roentg., 75r
SIPHONS, 146t
SIPHONAPTERA,178q
SKIASCOPY,154k
SKIN, anat.& histol.,89g,219e; atrophy,103-1; cancer,102p,103j,111q,175j; cleansing, 254d; dis.,12-1,38p,49-1,101v,117i,131j, 170c,190v,211r,224f,258c,--in animals, 263g; gangrene,142n; innervation,60t, 184t; parasitosis,56n; physiol.,163f,235a, 241t; reaction,45h; reflectance,182p; sensitivity,147u,181v; temperature,182r; transplantation,34t,48n,131g,152m,172u, 173a,175k,n,202i,226c,247j; tuberculosis, 49h,r,68f,132m; tumors,103c,d,i,k,220m, 226p
SKRAUP REACTION, 96a
SLEEP, 49-1,61q,149r,194-1; dis.,49k,166j, 210n
SMALLPOX, 112a; epidemiol.& statist.,73b, 75-1; vaccination,67v,124a,210s
SMELL, 241u
SNAILS, 72f,g,204-1
SNOW-WATER 57q
SOAPS, 10c
SOCIAL CONDITIONS, 23b,27a,33o
SOCIAL SCIENCE,230t
SOCIAL HYGIENE, 244u
SOCIAL SERVICE, 167d,221-1,222e,221q,109b, 242t
SOCIAL SECURITY, economics,202a; in Australia & New Zealand,244a
SOCIETIES, 146a; psychological,163u
SOCIETIES, MEDICAL, 5d,116j; Am.Med.Assn., 111u,118i; history,24o; Soc.panamer.pat. geog.,221m; veterinary,261h
SODIUM azide,3c; carbonates,46o; determ., 8b; lactate,20o; metabolism,47b,70j, 219m; oleate,10r
SOIL, 145m; bacteriol.,3p,q,8o,95b,178d; chem.,18n
SOLANUM nigrum,227o
SOLVENTS, 111k

SORBITOL, determ.,13h
SOUNDS,71q
SOUPS,13f,68h
SOYBEANS,10f,104d,163k,213-1
SPACE, perception,241n
SPASM,22f; ciliary,62e
SPECIALISM, 48p,142c,d,215g
SPECTROPHOTOMETRY,182p
SPECTROSCOPY, 9u,185d
SPECTRUM,11f,144h,179o
SPEECH, 42q; defects,53j,60c,157c,157f,g,j,k, 175m,253u; development,157g; training,157b,235v
SPERMATIC CORD, torsion,,237m
SPERMATOZOA, 86o,86q,144o,203p
SPHENOID BONE, osteomyelitis,235d
SPHINCTER MUSCLES, Oddi's 51-1,183h
SPHINGOLIPIDS, 96o
SPHYGMOGRAPHY, 143p
SPIEGLER-FENDT SARCOID, 103k
SPINACH,33q
SPINAL CANAL, 76k
SPINAL CANAL ROENTGENOGRAPHY,16-1, 193t,232g
SPINAL CORD, cancer,208n; compression, 60s,75p, 133r; degeneration,59f; dis.,232i: fats & lipoids, 96o; pathol.,89j,181u: physiol.,60m,o,163i,n,165p,179n,181c surgery,225d; tumors,76k; 148f,176a,236c: wounds & injuries,148f,150m,232t,233j, 248m,257e
SPINE, 61j; abscess,137f; ankylosis,129n; arthritis,4v,105m,137f; curvatures,63u; deformities,61j,78g; dis.,42c,76j,133r, 236n; dislocations,80v; intervertebral disks, 38m,43f,49v,81i,j,k,l,m,110v,w,193s,t, 232k; surgery,80v; tuberculosis,42o,85k, 210b,226o; tumors,75p,117k,198j,226u
SPIROCHETA, canicola,126j
SPIROCHETOSIS, 33j,262w; avian,146c; canicola,219d,259o; icterohemorrhagic, 53f,134f,g; therapy,45i
SPLANCHNOPTOSIS, 14v
SPLEEN, metabolism,68s; physiol.,145a: position,201d; rupture,208d; tumors, 219p
SPLENECTOMY, 82k; indications,125r,196h
SPLENOMEGALY,42r,49p,215v,249d
SPONGE, absorbable,44j,k
SPOROTRICHOSIS, 103d,178f
SPRUE, therapy,21h,30c
SPUTUM, bacteriol.,85t; exam.,256o
STAGE-FRIGHT,243f
STAINS & STAINING, 51h,54k,64p; vital, 1i,144o
STAPHISINE, 97d
STAPHYLOCOAGULASE, 216w
STAPHYLOCOCCI, antiserum,155m; infections, 27u,54-1,126b; toxin,107w,17u
STARCH, 57m
STARVATION, 68q,123o,p,181p; metabolism, 13-1
STATISTICS, 71r,s,75b,90v,w
STEATORRHEA, 15e
STELLATE GANGLION, 252d
STERADIENES, 95-1
STEREOSCOPY, 147t
STERILITY, 86q,106h,203p,209q; etiol.& pathogen.,83t,252n; therapy,31b
STERILIZATION, 153s,245i: in photography, 61d; sexual,109g,h,168-1,237v; surgical, 34a,50d,148a,185m
STERNUM, 76s; dis.,82-1
STEROIDS, 94c,96v,105m; chem.,94j; determ., 7i; eff.,71g; metabolism,7i,j,105c
STEVENS-JOHNSON DISEASE,110m,p
STILBENE,111n
STIMULATION,163g;183d,241t,241u
STOMACH, abscess,15a; acidity,66j,182j,208k; bacteriol.86c,221g; calcification,76k; calculi,250f; cancer,22d,25h,46v,80e,174s, 176i,216f,219r,220m,n; cardia,77s; cardiospasm,129n; contents,201f; erosion,225-1; exam.,211r; extracts,119n; foreign bodies, 250g; hernia,77m; infl.,14-1,15a,44f,48-1, 128w,168v,216h; lavage,43d; metabolism, 182m; motility,217q; mucosa,5n,14v,65g, 173p; perforation,14w,15d,219r; physiol., 15e,f,k,140e,205n; secretion,14i,85e,183b, 225k; surgery,5-1,15f,41v,118k,129n, 135v,w,173r,176i,205n,220m,225m; tumors, 14f,k,40n,42k,51t,135v,205o; volvulus,48m, 75s
STOMATITIS, 34e,110m; aphthous,43k,100p, 102n; etiol.& pathogen.,174m; in inf.& children, 67m; ulcerous,32w,48h,100g,i,r
STOMOXYS,264q
STRABISMUS,48g,62o,153r,156f; psychol., 152h; therapy,153d,156b,d
STREPTIDINE, 96d
STREPTOBIOSAMINE,96d
STREPTOCARPUS, 105t
STREPTOCIDE, 248f; eff.,233d
STREPTOCOCCI, 4b,45e; agalactiae,45e; carriers,30j; faecalis,3v,4a; hemolytic, 45d,108t,119h; infections,79b; pyogenes, 2s; virulence,45e
STREPTOLYSIN, anti-,21q
STREPTOMYCIN, 22m,96d,129h,131w,138c, 172t,188u; B, 217t; chem.,94t; determ., 96u; eff.,2r,3-1,7-1,45c,58h,84o,119j, 146p,216w,223q,237b; inactivation,159v; metabolism,200b; therapy,31g,39a,196g,205f, 221j,--in ophthalmol.,216p,--in otol.,63h, --in otorhinolaryngol.,235j; --in pediatrics, 55k,237c; in vet.med.,262s; toxicity,118v, 196o,217m
STRESS, 14n,257c
STRONGYLOSIS,261m
STUDENTS, medical,117o,--staleness,46s
STYRENES, 10v
SUBMAXILLARY DUCT, calculi,142m,--in animals,49o
SUBMAXILLARY GLANDS, dis.,100u; physiol., 180q; tumors,175v
SUCCINIC DEHYDROGENASE,8i
SUCCINOXIDASE,144v
SUCROSE,8j,l,9n,97w
SUCTION,250k
SUCTION TUBES, 214v
SUFFOCATION of infants 186o
SUGAR CANE,146c
SUGARS,93-1,94l,q,s,185n; phosphorylated, 7s
SUICIDE, 121p,171u
SULFACTIN, 8o
SULFADIAZINE, 45a; prep.,20o,n; therapy, in vet.med.,263d; toxicity,108v,127n,154a
SULFALUMIN, 213h
SULFAMERAZINE, 45a; therapy, vet.,263d
SULFAMETHAZINE, 88d,e; therapy, vet.,263d
SULFAPYRIDINE, chem.,95f; toxicity,259w
SULFASUXIDINE, 23i
SULFATHIAZOLE, 45a; eff.,90c; prep.,156m, 157q; toxicity,153j,k
SULFHYDRYL COMPOUNDS, 45i,66g,138a, 144s,204i; eff.,217k
SULFIDES, 98c
SULFONAMIDES, 117n,203d,248f; chem., 9n; eff.,2o,18i,29j,90b,114b,185w,220u, 221c,233d; prep.,45a,46o,147v, therapy,112i,114a,137s,--in dentistry, 187o,188t,190n,--in otorhinolaryngol.,

63w,--in pediatrics,158p,--in vet.med., 259i; toxicity,28f,45a,110g,190o,192k, 237j
SULFONES, eff.,84o
SULFUR, 58g; metab.,91j; oxides,11f
SUNFLOWERS,57a
SUPPOSITORIES, 128v
SURFACES,10c,m,o,t,57c,58w,145s,217p
SURGERY,132b,135n,174u,175s,246c,247c, 250w; blood,80k,m,83a,147h,168d; history,174b; in Belgian Congo,172-1; in Great Britain,42s; in Russia,248e,249k, 251e,251s; in Scandinavia,38-1; in the tropics,209n; in United States,132d: mortality,79e; operating rooms,33u; plastic,22i,175k,212a,f,235d: positions, 82m,128p; postoperative care,83n,128p, 169s,173-1,254j; postoperative complications, 31d,35i,40d,112j,114d,124g,125a,d,133f, 173-1,209o,222s,225m,234f: preoperative care,44r; taylorization,137r
SUTTON'S DISEASE,51s
SUTURES,79v,132b,137r,192-1,251h,234n, 250a
SWAYBACK of lambs,148s
SWEAT, odor,177j
SWEAT GLANDS, cancer,27n; dis.,61p, 102q,190u
SWIMMING, 20b,169t
SWINE, 258o; breeding,258n,t,259t,261a; dis.,259g,v,260q,t; genetics,192e
SWINE CHOLERA, prev.& control,88i
SWINE PLAGUE, 261-1
SWINEHERDERS' DISEASE,131b,262b
SYMBIOSIS, 144p
SYMPATHECTOMY,51c,82w; indic.,20r, 111w,174a; lumbar,172h
SYMPHYSIS PUBIS,183j
SYNCOPE, 38m
SYNDROMES, 53j
SYNOVIAL FLUID REACTION,81e
SYNOVIAL MEMBRANES, cancer,80p; tumors, 135u
SYPHILIDES, 49e,102d,s,103d,135f; nigricans, 52i;
SYPHILIS, congenital,110j; experimental, 87c; history,223f; immunity,18g; in children,31t,210p,236u; manifestations, 204v; notification,87s; pregnancy,87s: serodiagnosis,18g,43a,64o,87j,k,111a, 121d; tertiary,48a,49n,156q,226j; therapy, 20m,21a,23m,45i,49k,50q,86v,87a,b,c,o,r, 102d,116h,121u,127q,137h,193k,207f,218v: transmission,210p; tuberculosis,219-1
SYRINGOMYELIA, 131o,236c
T-1824, 179h,183a
TABANIDAE, 264r
TABES DORSALIS, therapy, 134o
TACHYPHYLAXIS, 146r
TALC, 54g; substitutes, 58u
TAMPONADE, 250b
TANTALUM, 11m,174j,256v; oxide,217f
TAPETUM lucidum,32v
TAPEWORM INFECTION, 47w,--in animals, 261d; therapy, 147t
TAYLORIZATION in surgery,132b,137r
TEETH, anat. & histol., 99h; 101i; anthropol., 99w; caries, 11-1,34b,l,p,85c,100t,124u, 167g,185v,186-1,189k,190g,227f; corrosion, 100h; cysts,100v; develop.,12g,56s,99e,t, 127e,186-1,u,187b,d,188a,i,189t,190a,m,q, 208g,--in animals,263f; dis.,12g,73w,100-1, 186d,189d; exam.,188o; extraction,64g, 101d,142n,185u,186p,186s,187i,n,188-1,189e,h, 197a; filling,11p,186h,q,188k; malocclusion, 12e,99c,d,100o,101j,186g,j,v,188t,187a,c,d,e, f,g,192d; movements,174p; prostheses,ll-1,s, 12e,99e,j,k,o,100e,f,k,n,q,101e,g,o,p,r,142-1, 186b,c,e,f,g,i,q,w,187v,188d,g,h,k,w,189h,p,q; pulp,11r,187k,190k; reimplantation,188w; roentg.,187t; roots & canals,99j,100i,m,101m, 186s,187k,189u,190h,n; surface specificity, 58w
TELEPATHY, 166d,e
TEMPERATURE, 180k; eff., 69o
TEMPERATURE, BODY, 69w,115c,227m; arterial 180f; hypothermia,20p; maximal,22i
TEMPORAL BONE, tumors,76f,g
TENDONS, surgery,82u,175h; transplantation, 135u
TERMITES, 90o
TERPENES, 90g
TERYLENE,57p
TESTES, dis.,159a; ectopic,41k,219h; insufficiency, 105f,105k; pain,248m; physiol.,66n,p,86q,191g; torsion,218r; tuberculosis, in animals,263a; tumors,141i,257-1; undescended,176q,202-1, 257k
TETANUS, 198k; diagn.,197a; postoperative,228d; prev.& control,131w; therapy,110b,121b,251o toxin,107t,144e,233c
TETANY, 50h; etiol.& pathogen.,141g; parathyroid 80f
TETRAZOLIUM, 144m
TEXAS CITY DISASTER, 108p,151k
THALLIUM, toxicity,28m,65v,142p
THEDAN BLUE, 22p
THEFT, 149-1
THEOPHYLLIN, 177f; admin.,128v; therapy, 231c
THERAPEUTICS, 34g; experimental,34j 126k,134s,243o
THERMODYNAMICS,57g
THIAMINE,13n,o,46p,69o,248p; deficiency,13-1; metabolism,7d
THIAZOLES,97o
THINKING, 71w,130t,164i
THIOBARBITAL, 79i
THIONAL, 168i
THIOURACIL, 22e,57t.117v; eff.,46g,56g, 144n,192c,253e; therapy,207-1; toxicity, 105o
THIOUREA,97o; tox.,22s
THORACIC DUCT, 46u
THORAX, compression,82g; 112c; dis.,37u, 138-1; foreign bodies,172i; roentg.,120-1, 201n,245u,246f; surgery,5-1,24v,82k,83v, 118o,120w,135v,w,168b,174a,u; tumors, 198j; wounds & injuries,75t,136b,168b, 228g,248u,249g,251i,u,w,252b
THOROTRAST,32n,135b
THROAT, cancer,91e; infections,37n,108t; tumors,63w,156s
THROMBIN,44j,45r,63-1,186p,217a,250t
THROMBOANGIITIS obliterans,40b,62i,114v, 131o,133f,226q,--in Negroes,184o
THROMBOCYTOPENIA, etiol.& pathogen.,127n
THROMBOPHLEBITIS, 47-1; therapy,83g,206d, 214m
THROMBOSIS, 47-1,133f,197u; axillary,135e, 142k; capillary & arteriolar,20t; cardiac, 206t; cerebral,124d; coronary,30t,120e; experimental,182i; pregnancy,202n; prev., 114d,125d,217c,254j; retinal,62q,154h; sinus,64g,113s; splenic,249d; therapy, 83g,206d
THYMINE, 57t,145n
THYMOL TEST, 47t
THYMUS, 191h; dis.,67p; excision,40c; irradiation,234n; pathol.,108s; physiol.,51p;

tumors,176c
THYROID, anat.& histol.,1m; cancer,19g,176b; dis.,19a,49-1,105e,124t,137-1,219c,225t,252-1, in children,39r,115b; eff.drugs,253e; excision, 207o,248t; extract,79j; hyperthyroidism,30k, 46i,47s,52r,79h,i,j,105n,113w,116q,129r, 173u,177w,197t,200h,203k,213r,231p,247e; insufficiency,32d,52p,129q,199g,252m; irradiation,63s; metabolism,21c,96k; physiol., 45r,50u,51p,q,52g,69p,r,71n,123a,182-1, 183c,197i,220h,231s,252m; surgery,39a, 48p,79j,105n,129r,139f,173q,199b,225g,q; syphilis,124t
THYROXIN, 221b; eff.,177t; metabolism,96k
THYRVONIN, 101-1
TIBIA, fractures,22j,247o; osteomyelitis,141f; tuberosity,238g
TICK FEVERS,191d
TICKS, 255e,259g; erad.,206g,261-1
TILT TEST,82m
TINNITUS aurium,34u,157r,170r,204j
TISSUE, carbon dioxide,56o; chem.,69n,96i; cult.,33d,183d; enzymes,147b; extracts, 7i; metabolism,7j; sections,1g,1,89n; therapy,248n,249n
TOBACCO, 5w,46d,58h,112-1,170q
TOLUIDINE BLUE, 249p
TOMATOES, enzymes,8c,92p
TONGUE, dis.,43f,103e; pain,235f; tumors,185v
TONSILLECTOMY, 156-1; in children,63o
TONSILS, 198i; dis.,201s; hemorrhage,39s
TOOTHBRUSHES,193f
TOPCHIBASHEV'S METHOD, 248k
TORNADOES,173c
TORULA, 103-1,150g
TOURNIQUETS,249o
TOXEMIA, alimentary,237d
TOXIN, 4d,7-1,9h,17i,18-1,119k,p,v,181u
TOXOPLASMOSIS, 214a
TRACHEOTOMY, 29t,156p
TRACHOMA, carriers,153e
TRANSGLUCOSIDASE, 8j
TRAUMA,69u,w,173c; cpl.& seq.,26-1,30n; experimental,23r; metab.,21c
TREMATODA,178p,204s,258s,264-1,m,n; erad.,72i
TREMOR, 54s,148m,150p
TRIATOMA, capitata,220r; delpontei, 52u
TRIAZINE,9b
TRICHINELLA spiralis,119t
TRICHINOSIS, epidemiol.& statist.,214b; transmission,260f
TRICHOMONAS foetus,264g; vaginalis,89-1
TRICHOMONIASIS, in pregnancy,28q; vaginal, 23w,192j
TRICHOPHYTOSIS,12n,49g
TRICHOSTRONGYLUS infect.,44p
TRICHURIS 258q
TRIDIONE,138b,202n
TRIFOLIUM 105w,106a
TRIGOVITOL,212h
TRITURUS,4-1
TROMBICULA deliensis,72o
TROPICAL MEDICINE, 18u,38b,122d,138c, 169f,190u; insurance asp.,19i; ophthalmol., 38k; postwar,29t; preventive,121h; surgery, 209n
TRUSSES, 147w
TRYPAN BLUE,80s
TRYPANOSOMA,255a; cruzi,91s
TRYPANOSOMIASIS,33f; cpl.& seq.,52u; diagn.,51i; immunity,107s; in animals, 262j,263s; prev.& control,255m; therapy, 44w,45i; transmission,220r
TRYPSIN, 70i,93a,144u,163k,239q
TRYPTOPHANASE,57k
TRYPTOPHANE,7p,8h,119v
TSETSE FLIES, 255m
TSUTSUGAMUSHI DISEASE, prev.& control, 34s
TUATARA,234q
TUBERCULIN,34j
TUBERCLE BACILLUS,17-1,120j; bovine, 137o,140i; cult.,17k,43d,84q,86c,122o; virulence,17j,46j
TUBERCULOSIS,115e,244j,256d; allergy, 86d; bovine,137o,262f,l; Calmette-Guerin immunization,85m,136s; chem.,17m; climatol.,114m,256b; clinics,256j; cpl.& seq.,41-1; congenital,237f; diagn.,40q,86c, 167t; economic & social asp.,151f,221t, 256e; epidemiol.& statist.,85q,t,w,115n, 116w,221g,256-1; etiol.& pathogen.,50u; experimental,56i; extra-thoracic,32q; hematogenous,142-1,223r; history,113-1; immunity,22e,86b,114s; in art,256j; in infants & children,77k,84m,99t,120m, 237v,238e; in insane,149t; in medical students,85q; in soldiers & sailors,131u, 137t; in veterans,24r,169n; metabolism, 109v; miliary,50e,125q; mortality,85d, 256o; osteoarthritic,112c,123n,133-1, 134f,167u; pathol.,140i; pregnancy,237v; prev. & control,24r,35g,50n,67v,84k, 120i,n,167r,s,170i,171b,209e,213w,243q, 244r,245o; prognosis,256o; psychol.asp., 256g; rehabilitation,84q,208h,256c,l; sanatoriums,256d,f,g,--Davos,256b; therapy,17k,l,37q,57t,58h,78d,84o,95m, 109s,254b,255v,256k; transmission,137o; tuberculin reactions,22u,49b; vaccine, 34j
TUBERCULOSIS, PULMONARY,198k; apical, 30q; artificial pneumothorax,27p,w,30a, 40v,84n,210e; cavitation,226f,246o; cpl. & seq.,25i,27w,112v,228g; diagn.,120i, 122u; etiol.& pathogen, 22u; history,85a; minimal,116t; pathol.,85c,j; relapse,86b; roentg.,32p,35n,120g,h,122p,175c,213w, 215p,245u,246f,o,256k; stomach secretion, 85e; surgical therapy,24u,v,40t,47m,78o, 84-1,85g,l,m,p,86b,112t,115a,122t,138h, 167s,t,175e,201-1,r,207h,256j; therapy, 21j,86b,124j,168w,256c
TUBIFEX,160r
TUBULIN,182b
TUMORS,125f; adamantoblastoma,99-1; adenoma,41i,65b,80f,86i,223-1; angioma, 14r,20p,75p,81s,124g,192p,214r,235o, 236c; angiopericytoma,103c; cells,91f; cholesteatoma,76f,g,216i; chondroma,235-1; chordoma,148f ; choristoma,234b; cranio-. pharyngioma,5m; cystic,140h; dermoid, 202c; ependymoma,148m; epithelioma,28c; etiol.& pathogen.,111m,191i; experimental, 45u,91h,91u,w,111m; fibroma,62j,131k, 201u; fibromyoma,135v; giant cell,47o, 48d,80-1,174n,248g; glioblastoma,60t,61b; glioma,148i,152n; glomus,120d; granuloma, 63q,r; in animals,262v; in children,31m, 77a,b; in plants,140-1,147a; infundibuloma, 206m; leiomyoma,42k,103i,214r; lipoma, 29a,176-1,214u; lymphoblastoma,77t,103k, 137g; mast-cell,92g; melanoma,23g,91e, 199o; meningioma,61b; multiple,61b; myeloma,5g; myeloplaxoma,40t; neuroblastoma,153b; neurofibroma,83-1; neuroma, 5f,63w,176b; osteoma,81n; papilloma,5o,45u, 53h,201v; pathol.,140k; pheochromocytoma, 43u,158s,176h; pigmented,152c; polyps,14k,

63q ,176n,192o,207s; registries,74f,257m; sarcoid,102v,103j,k; sympathicoblastoma, 65c; synovioma,80p; teratoid,159g; therapy, 21b,58o,91s; transplantation,58q,91v,--therapeutic,80f; trichoepithelioma,103d
TURKEYS, dis.,88e,259f
TURNER SYNDROME, 208r
TWINS, 130-1; abnorm.,88p; dis.,86m; in animals 261e; locked,35d
TYPHOID, bacilli,18j; bones,236t; carriers, 129f,205g; cpl.& seq.,27r,28h,150s,224a; diagn.,167m,212r; epidemiol.& statist., 114g,224-1; heart,168v; immunity,18j, 167v; prev.& control,167k; therapy,3k, 220d; toxin,18-1; vaccine,72m
TYPHUS, 114n,227d; diagn.,115q; epidemiol. & statist.,72-1,,171f,j; prev.& control, 72-1; transmission,36g,45p
TYRAMIN,65o
TYROCIDIN, eff.,4a,b
TYROSINASE,196d
TYROSINE, 7k,96q; metab.,96k
TYROTHRICIN,186p
UDDER, erosion,259b; infl.,258j,259t,263k,v,w 264a
ULCER,51e; etiol.& pathogen.,22t,214d,251g, 252g; therapy,211w,223u,249-1; tropical, 117g
ULNA, fractures,133d
ULTIMOBRANCHIAL BODY,1m
ULTRAVIOLET RAYS,11,74q,85a,179o
UMBILICAL CORD,24a; hematoma,28p
UNDULANT FEVER,117-1,169p,228c; antiserum,171e; cpl.& seq.,121s,137e,f; diagn., 200e,213s; epidemiol.& statist.,36e,73v; joints,77-1; prev.& control,171q; therapy, 45c
UNIVFRSITIES,162u; med.serv.,204f
UREA,65u,70d,97n,168c,180m,183k; bacteriol., 214h,256u; eff.,45h; metab.,47b
URECHOLINE,140b,d,e
UREMIA, therapy,79t,204h
URETERS, abnorm.,29c,249f; blood supply, 249h; calculi,86k; infl.,40k,81p; pyeloscopy, 78g; roentg.,137-1; surg.,173m,u; transplantation,132s,256v
URETHRA, abnorm.,159h; cancer,46n; diagn., 105k; infl.,129g; roentg.,257c; rupture, 124e,228e; stricture, in animals,263i
URIDINE PHOSPHATE,97r
URINARY TRACT, calculi,256t,257e; dis., 216b,232i; exam.,126i; infections,18t,31u, 129d,204q,208m; roentg.,213r; tumors, 5o
URINATION, disorders,26-1,43-1; incontinence, 137e,249f,257c
URINE,amidinostilbene,8f; amino acids,92n; chem.,97e,181g,219m; creatine,7k; diagn.,56p; extravsation,173q; fibrinolytic activity,144t; nitrogen,58q,70f; odor,177j; pressor substances,66b; quinacrine,254w; reaction,182e; steroids,58s,105m; streptomycin,96u; suppression,106v; therapy, 139a; thromboplastic activity,217c
UROBILINOGEN,217j
UROLOGY,257m; in general practice,38t, 39o; public health asp.,25u
UROPEPSIN,14o
UROSYMPATHIN,66b
URTICARIA,38p,103h; etiol.& pathogen.,110d; in pregn.& puerperium,211b; pigmentary, 49f; therapy,30-1
UTERUS, adnexa,210u; cancer,16a,24g,o,47v, 50k,53v,106q,r,139g,176p,198u,218r,257a; cervix,55m,221k,222d ; contraction,28t; disease, in dogs,263t; displacements,125k, --in animals,262i; excision,15u,79q,203q, 209v; fibroma,35v,172q; fibromyoma,236k; hemorrhage,27d,28o,s,205b,209r; inversion, 16b; motility,183e; myoma,15w,192r; physiol.,197j; roentg.,138r; rupture,38e, 39v; sarcoma,176o; torsion,15v; tuberculosis,22k; tumefaction,209v; tumors, 37j,83s,192o,--in animals,261f
UVEA, cancer,62r; infl.,152k,153q; spasm, 62e
V FACTOR, 2p
VACCINES, 74q,115i,208o,255v,261-1
VAGINA,196m; absence,44q; artificial,263p; medication,216o; reaction,139t; surgery, 106s,107b
VALERIAN,240-1
VAN GOGH,192v
VARICOSE VEINS,120u; arteriovenous,131n; blood,215t; congenital,102c; therapy,135e, 214p,222u,223h,u
VAS DEFERENS,198g
VASOMOTOR SYSTEM,22f,248r; dis.,51c; eff.drugs,45u,46f,65m,68m,p; hyperabduction neurovascular syndrome,175e; physiol., 5w,6k,66a,b,149s,182b
VEINS, abnorm.,102c; hepatic,25r,66q; saphenous,83h; surgery,83h; tuberculosis, 227j; umbilical,221w
VENEREAL DISEASES,224f; prev.& control, 73c,87-1,207a,225r,244q; therapy,131j
VENOM,51f,92t,135b; antivenom,17w; eff., 51n
VERMIFUGES,147q
VERRUCA,103e; etiol.& pathogen.,13s; therapy,28g,46q,157w
VERTIGO, aural,63d; etiol.& pathogen.,67k
VETERANS, adjustment,120d,165g; insurance, 19b; med.care,24r,38b,84d,230p,251q
VETERINARY MEDICINE,88c,127o,258-1,u, 260e,261b,262s; hospitals,88k; in Argentina, 261h; in China,263f; in Germany,260a,b; in Poland,262o; in Yugoslavia,262m; military,261w; surgery,258v
VI-DE, 135i
VINYL COMPOUNDS,9s
VINYL ETHER,160e
VIOFORM,20w
VIRILISM,34u,105e
VIRUSES,144w,145p; adsorption,261i,j,o; chem.,259c; cult.,145a; dis.,19f,119f,v, 206n,121h,224q,251g,--in animals,4h, 45u,116k,259c,d,e,261v,262u,--in infants & children,67m;--in plants,4g,144c; physical prop.,95k
VISCERA, positions,46r; transposition,75v, 209u
VISION, disorders,130i; field,152e,i; physiol., 40-1,181f,241n,o,s; psychol.,163v; stereoscopic,27k,154r; tests,152j,154m,155w, 164c
VITAL CAPACITY,84n,114t,122q
VITAL STATISTICS,19k,244g; birth rate, 171u; in Indiana,74c; mortality,18u,19e, 75k,1,213h
VITAMINES,56p,73j,185c,194-1,204t,208n,u, 215h; A,8w,14m,45j,66p,69r,103w,117i, 132k,144j,153u,158-1,177p,180i,182c,183c, 214n,217w,229s; anti-stiffness,179q; antivitamins,199f ; B, 7r,8g,13t,u,21h,30c, 42w,45q,69o,92u,94u,96-1,n,98s,97b,c, 99g,103r,119m,145n,158r,166p,182p,196i, 205m,n,238b,238w,255r; D, 69i,j,92k,l, 118w,132v,260f; E, 13s,38a,93c,157v, 211f,212h; excess,77j; intolerance,49i;

metabolism,218j; new,137w,146c; therapy, in vet.med.,88u; unidentified,3j
VITELLO-INTESTINAL ARCH,116w
VITILIGO,51s; pathogenesis,36j
VITREOUS, 201a; foreign bodies,153f; hemorrhage,234-l; pressure,156f
VIVICILLIN, 260r
VOCAL CORDS, cancer,5n
VOCATION, tests,162c,164b,j,l,165e,f,g
VOICE, re-education,157i; therapy,157e
VOLE BACILLUS, 112d, 123t
VOMITING, 69v,163j; in infants,23w ,77s,224d
VULVA, cancer,77f
VULVO-VAGINITIS, senile,212e
WALKER CARCINOMA,91m
WALLENBERG SYNDROME,27t,133s,200h
WAR,129u; civilian protection,228-l,229b; criminals,168t,191n; dis.,14e,38b,85q, 115b,n,122d,n,124t,152v,169j,259v; nutrition & food supply,23q,34-l,55v,104c,114o,123v 123w,124n,132d,145m; prisoners,14e,23q, 33-l,53f,62n,85q,112v,116k,124c,169b,190v; psychol.& psychiatric asp.,33-l,m,p,s,61t,w, 70v,73m,150i,166j,212-l; public health asp., 243s; social asp.,33s,73r
WASSERMANN REACTION, 40i
WATER, 57q,169i; analysis,169-l; bacteriol., 191c; metabolism,56j,69k,70o,123h; supply, 75f; total body,7h
WATER-ANIMALS, 56j
WATER-BLOOM, 88s
WATER-BUGS,56w
WATER-DRINKING, forced,179e
WATER-PIPES, bacteriol.,117p
WAX, 89n
WEIGHTS & MEASURES, metric,18f; symbols, 17u
WELCH, William H., 113n,t
WELTMAN REACTION,177-l
WETTING AGENTS, 160j,240n
WHEAT, 90e,217v
WHIPPLE'S DISEASE,65d
WHITMAN OPERATION,80t
WHOOPING COUGH, allergy,2u,v; immunity, 3a; prev.& control,244u; therapy,201i, 210s,254g
WIDAL REACTION,212r
WILLGERODT REACTION,95m
WINE, 13e,f,29b,104k; vitamins,73j
WIRSUNG'S DUCT, anastomosis,176j
WITZEL'S GRIDS,237q
WOILLEZ, 138v
WOOD, 178e
WOOD-DESTROYING INSECTS, 89s,90o
WORK, mental,60d; physiol.,46p,70b
WORKMEN'S COMPENSATION ,111c,121n, 195h,212s
WORLD HEALTH ORGANIZATION,136m
WORMS, 147q,158e
WOUNDS, disruption,209o; gunshot,11d,30m 116c,251j; healing,181h,217f; infection, 231i,151j,197d,187n,215e,228p,q,233p, 248p,249p,r,251g; minor,246h; multiple, 173c; pathol.,248g; stab-wounds,246a; therapy,81f,173-l,249-l,n,251h;
WRIST, dislocations,227e
WRITER'S CRAMP, 59s
XANTHINES, 97v
XANTHOMA, 21o,42i,68e
XANTHOMONAS,2,k,l
XENOPUS breeding,12v
YEAST,3c; metab.,4c,97c,143i; therapy, 34v
YELLOW FEVER, immunity,33g,72k; transmission,255n
ZINC carbonate, toxicity,99g; chloride,10i; radioactive,77h
ZOOLOGICAL PARKS,223i
ZYGOMA, 123s

PUBLIC LIBRARY
OCT 1 1947
DETROIT

☆ U. S. GOVERNMENT PRINTING OFFICE, 1947 751755